



# The ZUGFeRD Format

## ZUGFeRD 1.0 Technical Documentation

Version 1.0

ZUGFeRD 1.0 German Specification: 25th June 2014;

ZUGFeRD 1.0 English Translation: 1st January 2015

[www.ferd-net.de](http://www.ferd-net.de)

© AWW e.V.

## TABLE OF CONTENTS

1			
2	<b>1</b>	<b>DOCUMENT INFORMATION .....</b>	<b>2</b>
3	1.1	DOCUMENT INFORMATION AND CHANGE HISTORY.....	2
4	1.2	DISCLAIMER AND RIGHTS OF USE .....	3
5	<b>2</b>	<b>INTRODUCTION .....</b>	<b>5</b>
6	<b>3</b>	<b>THE SEMANTIC ZUGFERD DATA MODEL.....</b>	<b>6</b>
7	<b>4</b>	<b>THE ZUGFERD SCHEMA .....</b>	<b>48</b>
8	4.1	STRUCTURE .....	48
9	4.2	LIST OF BUSINESS TERMS ASSIGNED TO THE ZUGFERD PROFILE .....	114
10	4.3	LIST OF FIELDS THAT MUST NOT BE USED.....	140
11			

12 **1 Document information**

13 **1.1 Document information and change history**

14 Document information

Title of the document	The ZUGFeRD Format ZUGFeRD 1.0 Technical Documentation
As at	25 June 2014, Translation 2015-01-01
Current version	Version 1.0
Status	Final version for publication

15 Change history

Version no.	Change date	Changed by	Summary of changes
1.0	25 June 2014	FeRD WP 3 Technical Standards and ZUGFeRD	First version of ZUGFeRD 1.0

16

## 17 1.2 Disclaimer and rights of use

### 18 **Liability**

19 The documentation of the ZUGFeRD format has been drawn up to the best of our knowledge and belief;  
20 all necessary measures have been taken to ensure that the information compiled on the ZUGFeRD format  
21 is accurate. AWV e.V. (German Association for Economic Administration) examines and updates the in-  
22 formation on the ZUGFeRD format on an ongoing basis. Although all reasonable care is taken, the infor-  
23 mation may change. AWV e.V. reserves the right to make changes or additions to the documentation pro-  
24 vided on the ZUGFeRD format.

25 AWV e.V. gives no guarantee and assumes no liability for the documentation provided on the ZUGFeRD  
26 being up-to-date, accurate and complete. Any installation and use of the ZUGFeRD format shall be at the  
27 user's own risk. Except in cases of wilful misconduct or gross negligence, AWV e.V. shall not be liable for  
28 any loss of use, loss of profit, loss of data, loss of communication, loss of revenue, loss of contracts or loss  
29 of business. Nor shall it be liable for any costs, damages, losses or liability related to an interruption to  
30 business activity, nor for concrete, incidental or indirect damage, penalties or consequential damage. This  
31 shall also apply even if, under normal circumstances, it may have been possible to foresee the costs, losses  
32 or damage. In particular, AWV e.V. gives no guarantee and assumes no liability for the implementation of  
33 the ZUGFeRD format into an application for the transfer, ascertainment or generation of invoice data be-  
34 ing up-to-date, accurate and complete.

### 35 ZUGFeRD specification copyright

36 The contents and structure of this ZUGFeRD specification are protected by copyright. The reproduction of  
37 information or data, in particular the use of texts, parts of texts or pictures and images, requires the prior  
38 consent of AWV e.V.

### 39 Use of the "FeRD" and "ZUGFeRD" logos

40 The word and figurative marks "FeRD" and "ZUGFeRD" are protected by copyright. Any use of the FeRD  
41 and ZUGFeRD logos requires the prior consent of AWV e.V.

### 42 Rights of use for the ZUGFeRD format

43 One of the purposes of the Forum for Electronic Invoicing (hereinafter referred to as "FeRD") at AWV e.V  
44 is to create and specify an open format for structured electronic data exchange based on open and non-  
45 discriminating, standardised technologies (hereinafter referred to as the "ZUGFeRD format").

46 According to FeRD, free access to the ZUGFeRD format is provided both to companies and public admin-  
47 istration.

48 To this end, FeRD offers all companies and organisations in the area of public administration a licence for  
49 the use of the copyright-protected ZUGFeRD format on fair, appropriate and non-discriminatory terms  
50 and conditions.

51 The latest version of the FeRD specification for the implementation of the ZUGFeRD format can be down-  
52 loaded from [www.ferd-net.de](http://www.ferd-net.de).

53 The licence in detail:

54 FeRD grants a licence for the use of the copyright-protected ZUGFeRD format in its latest and accepted  
55 version ([www.ferd-net.de](http://www.ferd-net.de)).

56 The licence includes an irrevocable right of use, including the right to further develop and subsequently  
57 process the format and to combine it with other products.

58 The licence applies in particular to the development, design, manufacture, sale, use or other application of  
59 the ZUGFeRD format for hardware and/or software products as well as other applications and services.

60 This licence does not cover the essential patents of FeRD members. Essential patents should be under-  
61 stood as patents and patent applications worldwide in which one or more of the patent claims are neces-  
62 sary claims. Necessary claims are those claims of main patents, which would inevitably be infringed as a  
63 result of the implementation of the ZUGFeRD format.

64 The licence holder is entitled to grant its respective affiliated companies an unlimited, worldwide, non-  
65 transferable and irrevocable right of use, including the right to further develop and subsequently process  
66 the format and to combine it with other products.

67 The licence is provided free of charge.

68

69 **2 Introduction**

70 This document comprises the technical documentation for both the semantic data model and the schema.

71 The document defines in particular the business terminology that is used, the integration of this terminol-  
 72 ogy within the respective ZUGFeRD profiles as well as the status with regard to usage.

73 The following status displays are used in the ZUGFeRD documentation:

<b>R</b>	REQUIRED	Indicates that the use of this element is required; the element must be used.
<b>A</b>	ADVISED	Indicates that the use of this element is advised.
<b>D</b>	DEPENDENT	Indicates that the use of this element depends on certain conditions which are described in corresponding notes.  An Element/Attribute which is marked as “Dependent” must always be specified if the requirements in the respective process have been met. For example, information regarding an exemption from tax must be specified if the invoice relates to an intra-Community supply. In contrast, this information is not required for a supply within an EU Member State.
<b>O</b>	OPTIONAL	Indicates that the use of this element is optional and is at the discretion of the user.  An Element/Attribute which is marked as “Optional” can be populated depending on the respective business process.
<b>N</b>	NOT USED	Due to the methodology used when generating the ZUGFeRD syntax, the schema contains elements which are not used in the ZUGFeRD standard. These fields must not be populated during implementation.

74

75 **3 The semantic ZUGFeRD data model**

Cardinality	Element / Attribute	Business term / Properties
<b>CBF BUY. Details</b>		
1 .. 1	<b>CBF BUY. Specified. Exchanged Document_ Context</b>	<b>Grouping of message based properties</b> Status: <b>R</b>
0 .. 1	Exchanged Document_ Context. Test_ Indicator	Test indicator Status: <b>O</b>
1 .. 1	Indicator. Content	Test indicator Example: <b>true</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Exchanged Document_ Context. Business Process_ Specified. Document Context_ Parameter</b>	<b>Grouping of business context information</b> Status: <b>O</b>
0 .. 1	Document Context_ Parameter. Identification. Identifier	Business process Status: <b>O</b>
1 .. 1	Identifier. Content	Business process, value Example: <b>Material, Freight charges, Service invoice</b> Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>Exchanged Document_ Context. Guideline_ Specified. Document Context_ Parameter</b>	<b>Grouping of guideline information</b> Status: <b>R</b>
1 .. 1	Document Context_ Parameter. Identification. Identifier	Guideline Status: <b>R</b>
1 .. 1	Identifier. Content	Guideline Synonym: Profile Example: <b>urn:ferd:CrossIndustryDocument:invoice:1p0:extended</b> Status: <b>R</b>
1 .. 1	<b>CBF BUY. Header. Exchanged_ Document</b>	<b>Grouping of properties regarding the whole document</b> Status: <b>R</b>
1 .. 1	Exchanged_ Document. Identification. Identifier	Invoice identifier Status: <b>R</b>
1 .. 1	Identifier. Content	Invoice identifier, value Example: <b>2012-12345</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	Exchanged_ Document. Name. Text	Document name (free text) Status: <b>R</b>
1 .. 1	Text. Content	Document name (free text), value Example: <b>INVOICE, CREDIT NOTE, PROFORMA INVOICE</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	Exchanged_ Document. Type. Code	Document type (Code) Status: <b>R</b>
1 .. 1	Code. Content	Document type (Code), value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	Exchanged_ Document. Issue. Date Time	Invoice date Status: <b>R</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Date Time. Content</u>	Invoice date, value Synonym: Document date Example: 20130305 Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: 102 Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Exchanged_Document. Copy. Indicator</u>	Copy indicator Remark: Should only be used, if XML Date is not contentwise identical according to VAT regulation. Status: <b>D</b>
1 .. 1	<u>Indicator. Content</u>	Copy indicator, value Remark: Should only be used if not content-wise identical regarding VAT regulation. Example: true Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<u>Exchanged_Document. Language. Identifier</u>	Language identifier Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Language identifier, value Example: de Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Exchanged_Document. Included. Note</b>	<b>Free text on header level</b> Status: <b>O</b>
0 .. 1	<u>Note. Content. Code</u>	Free text on header level (qualifying the content) Status: <b>O</b>
1 .. 1	<u>Code. Content</u>	Free text on header level (qualifying the content), value Status: <b>O</b> Profile: <b>nur EXTENDED</b>
1 .. unbounded	<u>Note. Content. Text</u>	Free text on header level (content) Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Free text on header level (content) Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Note. Subject. Code</u>	Free text on header level (qualifying the type of text) Status: <b>A</b>
1 .. 1	<u>Code. Content</u>	Free text on header level (qualifying the type of text), value Status: <b>A</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Exchanged_Document. Effective. Specified_Period</b>	<b>Contractual invoice due date</b> Remark: Should only be used, if the contractual due date is different to the payment due date (e.g. with SEPA credit transfers). Status: <b>D</b>
1 .. 1	<u>Specified_Period. Complete. Date Time</u>	Contractual invoice due date Status: <b>R</b>
1 .. 1	<u>Date Time. Content</u>	Contractual invoice due date, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: 102 Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>CBF BUY. Specified. Supply Chain Trade Transaction</b>	<b>Grouping information of trade transaction</b> Status: <b>R</b>



Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<b>Supply Chain_ Trade Transaction.</b> <b>Applicable. Supply Chain_ Trade Agreement</b>	<b>Grouping on trade agreement</b> Status: <b>R</b>
0 .. 1	<u>Supply Chain_ Trade Agreement. Buyer Reference. Text</u>	Buyer reference Status: <b>O</b>
1 .. 1	<u>Text. Content</u>	Buyer reference, value Remark: Rq 003, INV 082 Status: <b>O</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>Supply Chain_ Trade Agreement.</b> <b>Seller. Trade_ Party</b>	<b>Seller (=beneficiary)</b> Synonym: <i>The seller (=taxable person) is, by default, also the invoice issuer, the originator of the invoice, the supplier and the payee. If some of these roles have been transferred to other people, these must be defined separately.</i> Status: <b>R</b>
0 .. 1	<u>Trade_ Party. Identification. Identifier</u>	Seller ID Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Seller ID, value Synonym: Supplier identification assigned by the customer Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<u>Trade_ Party. Global Identification. Identifier</u>	Global identifier of the seller Status: <b>A</b>
1 .. 1	<u>Identifier. Content</u>	Global identifier of the seller, value Synonym: GLN, DUNS, BIC, ODETTE, ... Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Trade_ Party. Name. Text</u>	(Company) name of the seller Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	(Company) name of the seller, value Example: <b>Lieferant GmbH</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Trade_ Party. Defined. Trade Contact</b>	<b>Details on the seller's contact person</b> Status: <b>O</b>
0 .. 1	<u>Trade Contact. Person Name. Text</u>	Contact person name Remark: If contact information should be provided either the person name or the department name is to be filled. Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Contact person name, value Example: <b>Karin Mustermann</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Contact. Department Name. Text</u>	Department name Remark: If contact information should be provided either the person name or the department name is to be filled. Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Department name, value Example: <b>Accounting</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<b>Trade_Contact. Telephone. Universal_Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	Universal_Communication. Complete Number. Text	Phone number Status: <b>R</b>
1 .. 1	Text. Content	Phone number, value Remark: Usage of an international format is advised. Example: <b>+49 (123) 456789-0</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Fax. Universal_Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	Universal_Communication. Complete Number. Text	Fax number Status: <b>R</b>
1 .. 1	Text. Content	Fax number, value Example: <b>+49 (123) 456789-999</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Email_URI. Universal_Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	Universal_Communication. URI. Identifier	Email Status: <b>R</b>
1 .. 1	Identifier. Content	Email, value Example: <b>karin.mustermann@seller.tld</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Postal. Trade_Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	Trade_Address. Postcode. Code	Postcode Status: <b>A</b>
1 .. 1	Code. Content	Postcode, value Example: <b>80333</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	Trade_Address. Line One. Text	Line one of address Status: <b>A</b>
1 .. 1	Text. Content	Line one, value Example: <b>Lieferantenstraße 20</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	Trade_Address. Line Two. Text	Line two Status: <b>O</b>
1 .. 1	Text. Content	Line two, value Example: <b>Gebäude 3</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	Trade_Address. City Name. Text	City Status: <b>A</b>
1 .. 1	Text. Content	City, value Example: <b>München</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	Trade_Address. Country. Identifier	Country (Code) Status: <b>A</b>
1 .. 1	Identifier. Content	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. unbounded	<b>Trade_Party_Specified_Tax_Registration</b>	<b>Tax registration details</b>
		Status: <b>A</b>
0 .. 1	<u>Tax_Registration_Identifier</u>	(Local) tax Id VAT Id Status: <b>D</b>
1 .. 1	<u>Identifier_Content</u>	(Local) tax Id, value VAT Id, value Example: 201/113/40209 DE234567891 Status: <b>D</b>
1 .. 1	<u>Identification_Scheme_Identifier</u>	Profile: <b>BASIC and upwards</b> Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<b>Supply Chain_Trade Agreement_Buyer_Trade_Party</b>	<b>Buyer (=beneficiary)</b>
		Synonym: <b>The buyer (=customer) is, by default, also the ship-to-party, the invoicee and the payee. If some of these roles have been transferred to other people, these must be defined separately.</b>
		Status: <b>R</b>
0 .. 1	<u>Trade_Party_Identification_Identifier</u>	Buyer Id Synonym: customer number Status: <b>O</b>
1 .. 1	<u>Identifier_Content</u>	Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<u>Trade_Party_Global_Identification_Identifier</u>	Global identifier of the buyer
1 .. 1	<u>Identifier_Content</u>	Status: <b>A</b> Global Identifier of the buyer, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Identification_Scheme_Identifier</u>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Trade_Party_Name_Text</u>	(Company) name of the buyer Status: <b>R</b>
1 .. 1	<u>Text_Content</u>	(Company) name of the buyer, value Example: <b>Kunden AG Mitte</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Trade_Party_Defined_Trade_Contact</b>	<b>Details on the buyer's contact person</b>
		Status: <b>O</b>
0 .. 1	<u>Trade_Contact_Person_Name_Text</u>	Contact person name Remark: If contact information should be provided either the person name or the department name is to be filled. Status: <b>D</b>
1 .. 1	<u>Text_Content</u>	Contact person name, value Example: <b>Karin Mustermann</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<u>Trade_Contact.DepartmentName.Text</u>	Department name Remark: If contact information should be provided either the person name or the department name is to be filled. Status: <b>D</b>
1 .. 1	<u>Text.Content</u>	Department name, value Example: <b>Accounting</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact.Telephone.Universal_Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<u>Universal_Communication.CompleteNumber.Text</u>	Phone number Status: <b>R</b>
1 .. 1	<u>Text.Content</u>	Phone number, value Remark: Usage of an international format is advised. Example: <b>+49 (123) 456789-0</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact.Fax.Universal_Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<u>Universal_Communication.CompleteNumber.Text</u>	Fax number Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Text.Content</u>	Fax number, value Example: <b>+49 (123) 456789-999</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact.Email_URI.Universal_Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<u>Universal_Communication.URI_Identifier</u>	Email Status: <b>R</b>
1 .. 1	<u>Identifier.Content</u>	Email, value Example: <b>karin.mustermann@seller.tld</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party.Postal.Trade_Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	<u>Trade_Address.Postcode.Code</u>	Postcode Status: <b>A</b>
1 .. 1	<u>Code.Content</u>	Postcode, value Example: <b>80333</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Trade_Address.LineOne.Text</u>	Line one of address Status: <b>A</b>
1 .. 1	<u>Text.Content</u>	Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Trade_Address.LineTwo.Text</u>	Line two Status: <b>O</b>
1 .. 1	<u>Text.Content</u>	Line two, value Example: <b>Gebäude 3</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Trade_Address.CityName.Text</u>	City Status: <b>A</b>
1 .. 1	<u>Text.Content</u>	City Status: <b>A</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<u>Trade Address. Country. Identifier</u>	Country (Code) Status: <b>A</b>
1 .. 1	<u>Identifier. Content</u>	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. unbounded	<b>Trade Party. Specified. Tax Registration</b>	<b>Tax registration details</b> Status: <b>A</b>
0 .. 1	<u>Tax Registration. Identification. Identifier</u>	(Local) tax Id VAT Id Status: <b>D</b> <b>D</b>
1 .. 1	<u>Identifier. Content</u>	(Local) tax Id, value VAT Id, value Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>D</b> <b>D</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Supply Chain Trade Agreement. Product End User. Trade Party</b>	<b>Details on alternative product end user</b> Status: <b>O</b>
0 .. 1	<u>Trade Party. Identification. Identifier</u>	Identification of the alternative product end user Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Identification of the alternative product end user, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<u>Trade Party. Global Identification. Identifier</u>	Global identifier of the alternative product end user Status: <b>A</b>
1 .. 1	<u>Identifier. Content</u>	Global identifier of the alternative product end user, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>R</b> Profile: <b>nur EXTENDED</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Trade Party. Name. Text</u>	(Company) name of the product end user Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Party. Defined. Trade Contact</b>	<b>Details of the contact person</b> Status: <b>O</b>
0 .. 1	<u>Trade Contact. Person Name. Text</u>	Name of the contact person Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Contact. Department Name. Text</u>	Department name Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Department name, value Example: <b>Accounting</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Contact. Telephone. Universal Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Universal Communication. Complete</u> <u>Number. Text</u>	Phone number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Fax. Universal_</b> <b>Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. Complete</u> <u>Number. Text</u>	Fax number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Email_URI.</b> <b>Universal_Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. URI.</u> <u>Identifier</u>	Email Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Postal. Trade_</b> <b>Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	<u>Trade_Address. Postcode. Code</u>	Postcode Status: <b>A</b>
1 .. 1	<u>Code. Content</u>	Postcode, value Example: <b>69876</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. Line One. Text</u>	Line one of address Status: <b>A</b>
1 .. 1	<u>Text. Content</u>	Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. Line Two. Text</u>	Line two Status: <b>O</b>
1 .. 1	<u>Text. Content</u>	Line two, value Example: <b>3. Etage rechts</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. City Name. Text</u>	City Status: <b>A</b>
1 .. 1	<u>Text. Content</u>	City, value Example: <b>Frankfurt</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. Country. Identifier</u>	Country (Code) Status: <b>A</b>
1 .. 1	<u>Identifier. Content</u>	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade_Party. Specified. Tax_</b> <b>Registration</b>	<b>Details on tax registration</b> Status: <b>O</b>
0 .. 1	<u>Tax_Registration. Identification.</u> <u>Identifier</u>	(Local) tax Id VAT Id Status: <b>O</b> <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identifier. Content</u>	(Local) tax Id, value VAT Id, value Example: 201/113/40209 DE234567891 Status: <b>D</b> <b>D</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of tax identifier, value Synonym: tax Id, VAT Id Example: FC, VA Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Agreement. Applicable. Trade_ Delivery Terms</b>	<b>Details on delivery terms</b> Status: <b>O</b>
1 .. 1	<u>Trade_ Delivery Terms. Delivery Type. Code</u>	Delivery type (Code) Status: <b>R</b>
1 .. 1	<u>Code. Content</u>	Delivery type (Code), value Synonym: Incoterms Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Agreement. Buyer Order_ Referenced. Referenced_ Document</b>	<b>Details on corresponding order</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date Time</u>	Order date Status: <b>O</b>
1 .. 1	<u>Date Time. Content</u>	Order date, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: 102 Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Order number Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Order number, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Supply Chain_ Trade Agreement. Contract_ Referenced. Referenced_ Document</b>	<b>Details on referenced contract</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date Time</u>	Contract date Status: <b>O</b>
1 .. 1	<u>Date Time. Content</u>	Contract date, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: 102 Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Contract number Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Contract number, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>Supply Chain_ Trade Agreement. Additional_ Referenced. Referenced_ Document</b>	<b>Details on additional referenced document</b> Status: <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<u>Referenced_Document.Issue.Date Time</u>	Document date Status: <span style="color: red;">O</span>
1 .. 1	<u>Date Time.Content</u>	Document date, value Status: <span style="color: red;">R</span> Profile: <span style="color: blue;">EXTENDED only</span>
1 .. 1	<u>Date Time.Format.Text</u>	Date, format Example: <span style="color: blue;">102</span> Status: <span style="color: red;">R</span> Profile: <span style="color: blue;">EXTENDED only</span>
1 .. 1	<u>Referenced_Document.Type.Code</u>	Type of referenced document Status: <span style="color: red;">R</span>
1 .. 1	<u>Code.Content</u>	Type of referenced document, value Example: <span style="color: blue;">BO</span> Status: <span style="color: red;">R</span> Profile: <span style="color: blue;">EXTENDED only</span>
1 .. 1	<u>Referenced_Document.Identification.Identifier</u>	Document number Status: <span style="color: red;">R</span>
1 .. 1	<u>Identifier.Content</u>	Document number, value Status: <span style="color: red;">R</span> Profile: <span style="color: blue;">EXTENDED only</span>
0 .. 1	<b>Supply Chain_Trade Agreement. Customer Order_ Referenced. Referenced_Document</b>	<b>Details on the referenced customer order</b> Synonym: <b>Commission, reference to a customer</b> Status: <span style="color: red;">O</span>
0 .. 1	<u>Referenced_Document.Issue.Date Time</u>	Date of customer order reference Status: <span style="color: red;">O</span>
1 .. 1	<u>Date Time.Content</u>	Date of customer order reference, value Status: <span style="color: red;">O</span> Profile: <span style="color: blue;">COMFORT and upwards</span>
1 .. 1	<u>Date Time.Format.Text</u>	Date, format Example: <span style="color: blue;">102</span> Status: <span style="color: red;">R</span> Profile: <span style="color: blue;">COMFORT and upwards</span>
1 .. 1	<u>Referenced_Document.Identification.Identifier</u>	Customer order number Status: <span style="color: red;">R</span>
1 .. 1	<u>Identifier.Content</u>	Customer order number, value Status: <span style="color: red;">R</span> Profile: <span style="color: blue;">COMFORT and upwards</span>
1 .. 1	<b>Supply Chain_Trade Transaction. Applicable. Supply Chain_Trade Delivery</b>	<b>Grouping on delivery information</b> Status: <span style="color: red;">R</span>
0 .. 1	<b>Supply Chain_Trade Delivery. Related. Supply Chain_ Consignment</b>	<b>Details on consignment or shipment</b> Status: <span style="color: red;">O</span>
0 .. unbounded	<b>Supply Chain_Consignment. Specified. Logistics_Transport Movement</b>	<b>Details on transport movement</b> Status: <span style="color: red;">O</span>
0 .. 1	<u>Logistics_Transport Movement.Mode. Code</u>	Transport mode (Code) Status: <span style="color: red;">O</span>
1 .. 1	<u>Code.Content</u>	Transport mode (Code), value Example: <span style="color: blue;">3</span> Status: <span style="color: red;">R</span> Profile: <span style="color: blue;">EXTENDED only</span>
0 .. 1	<u>Logistics_Transport Movement. Identification.Identifier</u>	Transport movement identifier Status: <span style="color: red;">O</span>



Cardinality	Element / Attribute	Business term / Properties
1 .. 1	Identifier. Content	Type of identifier, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Identification Scheme. Identifier	Type of identifier Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Delivery. Ship To. Trade_Party</b>	<b>Details on alternative ship to</b> Status: <b>O</b>
0 .. 1	Trade_Party. Identification. Identifier	Identification of ship to Status: <b>O</b>
1 .. 1	Identifier. Content	Identification of ship to, value Example: <b>TO123456</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	Trade_Party. Global Identification. Identifier	Global identifier of ship to Status: <b>A</b>
1 .. 1	Identifier. Content	Global identifier, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Identification Scheme. Identifier	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Trade_Party. Name. Text	(Company) name of ship to Status: <b>R</b>
1 .. 1	Text. Content	(Company) name of ship to, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Defined. Trade_Contact</b>	<b>Details of the contact person</b> Status: <b>O</b>
0 .. 1	Trade_Contact. Person Name. Text	Name of the contact person Status: <b>D</b>
1 .. 1	Text. Content	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Contact. Department Name. Text	Department name Status: <b>D</b>
1 .. 1	Text. Content	Department name, value Example: <b>Accounting</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Telephone. Universal_Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	Universal_Communication. Complete Number. Text	Phone number Status: <b>R</b>
1 .. 1	Text. Content	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Fax. Universal_Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	Universal_Communication. Complete Number. Text	Fax number Status: <b>R</b>
1 .. 1	Text. Content	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<b>Trade_Contact. Email_URI. Universal_Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	Universal_Communication.URI_Identifier	Email Status: <b>R</b>
1 .. 1	Identifier.Content	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Postal. Trade_Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	Trade_Address.Postcode.Code	Postcode Status: <b>A</b>
1 .. 1	Code.Content	Postcode, value Example: <b>69876</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address.Line One.Text	Line one of address Status: <b>A</b>
1 .. 1	Text.Content	Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address.Line Two.Text	Line two Status: <b>O</b>
1 .. 1	Text.Content	Line two, value Example: <b>3. Etage rechts</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address.City Name.Text	City Status: <b>A</b>
1 .. 1	Text.Content	City, value Example: <b>Frankfurt</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address.Country.Identifier	Country (Code) Status: <b>A</b>
1 .. 1	Identifier.Content	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade_Party. Specified. Tax_Registration</b>	<b>Details on tax registration</b> Status: <b>O</b>
0 .. 1	Tax_Registration.Identification.Identifier	(Local) tax Id VAT Id Status: <b>O</b> <b>O</b>
1 .. 1	Identifier.Content	(Local) tax Id, value VAT Id, value Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>D</b> <b>D</b> Profile: <b>EXTENDED only</b>
1 .. 1	Identification Scheme.Identifier	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_Trade Delivery. Ultimate_Ship To. Trade_Party</b>	<b>Details on alternative ultimate ship to</b> Status: <b>O</b>
0 .. 1	Trade_Party.Identification.Identifier	Identification of ultimate ship to Status: <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identifier. Content</u>	Identification of ultimate ship to, value Example: <b>U123456</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<u>Trade_Party. Global Identification. Identifier</u>	Global identifier of the ultimate ship to Status: <b>A</b>
1 .. 1	<u>Identifier. Content</u>	Global identifier, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Trade_Party. Name. Text</u>	(Company) name of the ultimate ship to Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	(Company) name of the ultimate ship to, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Defined. Trade_Contact</b>	<b>Details of the contact person</b> Status: <b>O</b>
0 .. 1	<u>Trade_Contact. Person Name. Text</u>	Name of the contact person Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Contact. Department Name. Text</u>	Department name Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Department name, value Example: <b>Accounting</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Telephone. Universal_Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<u>Universal_Communication. Complete Number. Text</u>	Phone number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Fax. Universal_Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<u>Universal_Communication. Complete Number. Text</u>	Fax number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Email_URI. Universal_Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<u>Universal_Communication. URI. Identifier</u>	Email Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Postal. Trade_Address</b>	<b>Details on address</b> Status: <b>A</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<u>Trade_Address.Postcode.Code</u>	Postcode
1 .. 1	<u>Code.Content</u>	Status: <b>A</b> Postcode, value Example: <b>69876</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address.Line One.Text</u>	Line one of address
1 .. 1	<u>Text.Content</u>	Status: <b>A</b> Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address.Line Two.Text</u>	Line two
1 .. 1	<u>Text.Content</u>	Status: <b>O</b> Line two, value Example: <b>3. Etage rechts</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address.City Name.Text</u>	City
1 .. 1	<u>Text.Content</u>	Status: <b>A</b> City, value Example: <b>Frankfurt</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address.Country.Identifier</u>	Country (Code)
1 .. 1	<u>Identifier.Content</u>	Status: <b>A</b> Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade_Party.Specified.Tax_Registration</b>	<b>Details on tax registration</b>
		Status: <b>O</b>
0 .. 1	<u>Tax_Registration.Identification.Identifier</u>	(Local) tax Id VAT Id
1 .. 1	<u>Identifier.Content</u>	Status: <b>O</b> (Local) tax Id, value VAT Id, value Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>D</b> <b>D</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Identification Scheme.Identifier</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_Trade Delivery.Ship From.Trade_Party</b>	<b>Identification of the alternative ship from</b>
		Status: <b>O</b>
0 .. 1	<u>Trade_Party.Identification.Identifier</u>	Identification of ship from
1 .. 1	<u>Identifier.Content</u>	Status: <b>O</b> Identification of the ship from, value Example: <b>SF123456</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<u>Trade_Party.Global Identification.Identifier</u>	Global identifier of ship from
1 .. 1	<u>Identifier.Content</u>	Status: <b>A</b> Global identifier, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global identifier Example: 0021, 0088, 0060, 0177 Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Trade Party. Name. Text</u>	(Company) name of the ship from Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	(Company) name of the ship from, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Party. Defined. Trade Contact</b>	<b>Details of the contact person</b> Status: <b>O</b>
0 .. 1	<u>Trade Contact. Person Name. Text</u>	Name of the contact person Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Contact. Department Name. Text</u>	Department name Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Department name, value Example: Accounting Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Contact. Telephone. Universal Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. Complete Number. Text</u>	Phone number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Contact. Fax. Universal Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. Complete Number. Text</u>	Fax number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Contact. Email URI. Universal Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. URI. Identifier</u>	Email Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Party. Postal. Trade Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	<u>Trade Address. Postcode. Code</u>	Postcode Status: <b>A</b>
1 .. 1	<u>Code. Content</u>	Postcode, value Example: 69876 Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Address. Line One. Text</u>	Line one of address Status: <b>A</b>
1 .. 1	<u>Text. Content</u>	Line one, value Example: Kundenstraße 15 Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	Trade Address. Line Two. Text	Line two Status: <b>O</b>
1 .. 1	Text. Content	Line two, value Example: <b>3. Etage rechts</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade Address. City Name. Text	City Status: <b>A</b>
1 .. 1	Text. Content	City, value Example: <b>Frankfurt</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade Address. Country. Identifier	Country (Code) Status: <b>A</b>
1 .. 1	Identifier. Content	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade Party. Specified. Tax Registration</b>	<b>Details on tax registration</b> Status: <b>O</b>
0 .. 1	Tax Registration. Identification. Identifier	(Local) tax Id VAT Id Status: <b>O</b>
1 .. 1	Identifier. Content	(Local) tax Id, value VAT Id, value Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
1 .. 1	Identification Scheme. Identifier	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain Trade Delivery. Actual Delivery. Supply Chain Event</b>	<b>Details on actual delivery</b> Status: <b>D</b>
0 .. 1	Supply Chain Event. Occurrence. Date Time	Actual date of delivery of goods/provision of services Status: <b>D</b>
1 .. 1	Date Time. Content	Actual date of delivery of goods/provision of services, value Synonym: Actual date of delivery of goods/provision of services for VAT purposes Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	Date Time. Format. Text	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Supply Chain Trade Delivery. Despatch Advice Referenced. Referenced Document</b>	<b>Details on referenced despatch advice</b> Status: <b>O</b>
0 .. 1	Referenced Document. Issue. Date Time	Date of despatch advice Status: <b>O</b>
1 .. 1	Date Time. Content	Date of despatch advice, value Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: 102 Status: R Profile: EXTENDED only
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Despatch advice number
1 .. 1	<u>Identifier. Content</u>	Example: R Despatch advice number, value Example: R Profile: EXTENDED only
0 .. 1	<b>Supply Chain_ Trade Delivery. Delivery Note_ Referenced. Referenced_ Document</b>	<b>Details on referenced delivery note</b> Status: O
0 .. 1	<u>Referenced Document. Issue. Date Time</u>	Delivery note date Status: O
1 .. 1	<u>Date Time. Content</u>	Delivery note date, value Status: O Profile: COMFORT and upwards
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: 102 Status: R Profile: COMFORT and upwards
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Delivery note identifier
1 .. 1	<u>Identifier. Content</u>	Status: R Delivery note identifier, value Status: R Profile: COMFORT and upwards
1 .. 1	<b>Supply Chain_ Trade Transaction. Applicable. Supply Chain_ Trade Settlement</b>	<b>Grouping on settlement information</b> Status: R
0 .. 1	<u>Supply Chain_ Trade Settlement. Payment Reference. Text</u>	Payment reference
1 .. 1	<u>Text. Content</u>	Status: A Payment reference, value Synonym: Transaction number Status: R Profile: BASIC and upwards
1 .. 1	<u>Supply Chain_ Trade Settlement. Invoice Currency. Code</u>	Currency
1 .. 1	<u>Code. Content</u>	Status: R Profile: BASIC and upwards
0 .. 1	<b>Supply Chain_ Trade Settlement. Invoice. Trade_ Party</b>	<b>Details on the alternative invoicee</b> Status: O
0 .. 1	<u>Trade Party. Identification. Identifier</u>	Identification of the alternative invoicee Status: O
1 .. 1	<u>Identifier. Content</u>	Identification of the alternative invoicee, value Example: IN123456 Status: R Profile: COMFORT and upwards
0 .. unbounded	<u>Trade Party. Global Identification. Identifier</u>	Global identifier
1 .. 1	<u>Identifier. Content</u>	Status: A Global identifier, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: GENODED1SPK, 4000001000005 Status: R Profile: COMFORT and upwards
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global identifier Example: 0021, 0088, 0060, 0177 Status: R Profile: COMFORT and upwards

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	Trade_Party.Name.Text	(Company) name of the alternative invoicee Status: <b>R</b>
1 .. 1	Text.Content	(Company) name of the alternative invoicee, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Trade_Party.Defined.Trade_Contact</b>	<b>Details of the contact person</b> Status: <b>O</b>
0 .. 1	Trade_Contact.PersonName.Text	Name of the contact person Status: <b>D</b>
1 .. 1	Text.Content	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Contact.DepartmentName.Text	Department name Status: <b>D</b>
1 .. 1	Text.Content	Department name, value Example: <b>Accounting</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact.Telephone.Universal_Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	Universal_Communication.CompleteNumber.Text	Phone number Status: <b>R</b>
1 .. 1	Text.Content	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact.Fax.Universal_Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	Universal_Communication.CompleteNumber.Text	Fax number Status: <b>R</b>
1 .. 1	Text.Content	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact.Email_URI.Universal_Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	Universal_Communication.URI_Identifier	Email Status: <b>R</b>
1 .. 1	Identifier.Content	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party.Postal.Trade_Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	Trade_Address.Postcode.Code	Postcode Status: <b>A</b>
1 .. 1	Code.Content	Postcode, value Example: <b>69876</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	Trade_Address.LineOne.Text	Line one of address Status: <b>A</b>
1 .. 1	Text.Content	Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	Trade_Address.LineTwo.Text	Line two Status: <b>O</b>



Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Text. Content</u>	Line two, value Example: 3. Etage rechts Status: R Profile: COMFORT and upwards
0 .. 1	<u>Trade Address. City Name. Text</u>	City Status: A
1 .. 1	<u>Text. Content</u>	City, value Example: Frankfurt Status: R Profile: COMFORT and upwards
0 .. 1	<u>Trade Address. Country. Identifier</u>	Country (Code) Status: A
1 .. 1	<u>Identifier. Content</u>	Country (Code), value Example: DE Status: R Profile: COMFORT and upwards
0 .. unbounded	<b>Trade Party. Specified. Tax Registration</b>	<b>Details on tax registration</b> Status: O
0 .. 1	<u>Tax Registration. Identification. Identifier</u>	(Local) tax Id VAT Id Status: O
1 .. 1	<u>Identifier. Content</u>	(Local) tax Id, value VAT Id, value Example: 201/113/40209 DE234567891 Status: D Profile: COMFORT and upwards
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: FC, VA Status: R Profile: COMFORT and upwards
0 .. 1	<b>Supply Chain Trade Settlement. Payee. Trade Party</b>	<b>Details on alternative payee</b> Status: O
0 .. 1	<u>Trade Party. Identification. Identifier</u>	Identification of the alternative payee Status: O
1 .. 1	<u>Identifier. Content</u>	Identification of the alternative payee, value Status: R Profile: EXTENDED only
0 .. unbounded	<u>Trade Party. Global Identification. Identifier</u>	Globaler identifier of the alternative payee Status: A
1 .. 1	<u>Identifier. Content</u>	Global identifier, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: GENODED1SPK, 4000001000005 Status: R Profile: EXTENDED only
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global identifier Example: 0021, 0088, 0060, 0177 Status: R Profile: EXTENDED only
1 .. 1	<u>Trade Party. Name. Text</u>	(Company) name of the alternative payee Status: R
1 .. 1	<u>Text. Content</u>	(Company) name of the alternative payee, value Status: R Profile: EXTENDED only
0 .. 1	<b>Trade Party. Defined. Trade Contact</b>	<b>Details of the contact person</b> Status: O
0 .. 1	<u>Trade Contact. Person Name. Text</u>	Name of the contact person Status: D

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Text. Content</u>	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Contact. Department Name. Text</u>	Department name Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Department name, value Example: <b>Accounting</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Telephone. Universal_Communication</b> Status: <b>O</b>	<b>Details of the phone number</b>
1 .. 1	<u>Universal_Communication. Complete Number. Text</u>	Phone number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Fax. Universal_Communication</b> Status: <b>O</b>	<b>Details of the fax number</b>
1 .. 1	<u>Universal_Communication. Complete Number. Text</u>	Fax number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Email_URI. Universal_Communication</b> Status: <b>O</b>	<b>Details on email</b>
1 .. 1	<u>Universal_Communication. URI. Identifier</u>	Email Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Postal. Trade_Address</b> Status: <b>A</b>	<b>Details on address</b>
0 .. 1	<u>Trade_Address. Postcode. Code</u>	Postcode Status: <b>A</b>
1 .. 1	<u>Code. Content</u>	Postcode, value Example: <b>69876</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. Line One. Text</u>	Line one of address Status: <b>A</b>
1 .. 1	<u>Text. Content</u>	Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. Line Two. Text</u>	Line two Status: <b>O</b>
1 .. 1	<u>Text. Content</u>	Line two, value Example: <b>3. Etage rechts</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. City Name. Text</u>	City Status: <b>A</b>
1 .. 1	<u>Text. Content</u>	City, value Example: <b>Frankfurt</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Address. Country. Identifier</u>	Country (Code) Status: <b>A</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identifier. Content</u>	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade Party. Specified. Tax Registration</b>	<b>Details on tax registration</b> Status: <b>O</b>
0 .. 1	<u>Tax Registration. Identification. Identifier</u>	(Local) tax Id VAT Id Status: <b>O</b> <b>O</b>
1 .. 1	<u>Identifier. Content</u>	(Local) tax Id, value VAT Id, value Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>D</b> <b>D</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Supply Chain. Trade Settlement. Specified. Trade Settlement Payment Means</b>	<b>Details on payment means</b> Status: <b>O</b>
0 .. 1	<u>Trade Settlement Payment Means. Type. Code</u>	Payment means type (code) Status: <b>A</b>
1 .. 1	<u>Code. Content</u>	Payment means type (code), value Example: <b>10</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<u>Trade Settlement Payment Means. Information. Text</u>	Free text information on payment means Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Free text information on payment means, value Remark: Free text information required, if code is used Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade Settlement Payment Means. Identification. Identifier</u>	Mandate reference and creditor identifier Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	Mandate reference, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<u>Identification Scheme Agency. Identifier</u>	Creditor identification, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Trade Settlement Payment Means. Payer Party. Debtor Financial Account</b>	<b>Buyer's financial account</b> Status: <b>D</b>
0 .. 1	<u>Debtor Financial Account. IBAN Identification. Identifier</u>	IBAN Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	IBAN, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Debtor Financial Account. Proprietary Identification. Identifier</u>	Account number Status: <b>D</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identifier. Content</u>	Account number, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Trade Settlement_Payment Means. Payee_Party. Creditor_ Financial Account</b>	<b>Seller's bank account</b> Status: <b>D</b>
0 .. 1	<u>Creditor_Financial Account. IBAN_ Identification. Identifier</u>	IBAN Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	IBAN, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Creditor_Financial Account. Account Name. Text</u>	Financial account name Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Financial account name, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Creditor_Financial Account. Proprietary_ Identification. Identifier</u>	Financial account identifier Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	Financial account identifier, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Trade Settlement_Payment Means. Payer_Specified. Debtor_ Financial Institution</b>	<b>Buyer's financial institution</b> Status: <b>D</b>
0 .. 1	<u>Debtor_Financial Institution. BIC_ Identifier</u>	BIC Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	BIC, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Debtor_Financial Institution. German Bankleitzahl Identification. Identifier</u>	German bank code Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	German bank code, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Debtor_Financial Institution. Name. Text</u>	Name of financial institution Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Name of financial institution, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Trade Settlement_Payment Means. Payee_Specified. Creditor_Financial Institution</b>	<b>Seller's financial institution</b> Status: <b>D</b>
0 .. 1	<u>Creditor_Financial Institution. BIC_ Identifier</u>	BIC Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	BIC, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Creditor_Financial Institution. German Bankleitzahl Identification. Identifier</u>	German bank code Status: <b>D</b>
1 .. 1	<u>Identifier. Content</u>	German bank code, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Creditor_Financial Institution. Name. Text</u>	Bank name Status: <b>D</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Text. Content</u>	Bank name, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. unbounded	<b>Supply Chain_ Trade Settlement. Applicable. Trade_ Tax</b>	<b>Details on trade tax</b> Status: <b>D</b>
1 .. 1	<u>Trade Tax. Calculated. Amount</u>	Tax calculated amount Status: <b>R</b>
1 .. 1	<u>Amount. Content</u>	Profile: <b>BASIC and upwards</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<u>Trade Tax. Type. Code</u>	Tax type (code) Status: <b>R</b>
1 .. 1	<u>Code. Content</u>	Tax type (code), value Example: <b>VAT</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Trade Tax. Exemption Reason. Text</u>	Exemption reason (free text) Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Exemption reason (free text), value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Trade Tax. Basis. Amount</u>	Tax base amount Status: <b>R</b>
1 .. 1	<u>Amount. Content</u>	Tax base amount, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<u>Trade Tax. Line Total Basis. Amount</u>	Goods amount for tax rate Status: <b>D</b>
1 .. 1	<u>Amount. Content</u>	Goods amount for tax rate, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Tax. Allowance Charge Basis. Amount</u>	Total tax rate allowances and charges at header level Status: <b>D</b>
1 .. 1	<u>Amount. Content</u>	Total tax rate allowances and charges, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Tax. Category. Code</u>	Tax category Status: <b>D</b>
1 .. 1	<u>Code. Content</u>	Tax category, value Example: <b>S</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Trade Tax. Applicable. Percent</u>	Tax rate percentage Status: <b>R</b>
1 .. 1	<u>Numeric. Content</u>	Tax rate percentage, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Supply Chain_ Trade Settlement. Billing. Specified_ Period</b>	<b>Details on billing specified period</b> Status: <b>D</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Specified_Period.Start.Date Time</u>	Start of the billing period Status: <b>R</b>
1 .. 1	<u>Date Time.Content</u>	Start of the billing period, value Status: <b>R</b>
1 .. 1	<u>Date Time.Format.Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Specified_Period.End.Date Time</u>	End of billing period Status: <b>R</b>
1 .. 1	<u>Date Time.Content</u>	End of billing period, value Status: <b>R</b>
1 .. 1	<u>Date Time.Format.Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>Supply Chain_Trade Settlement. Specified.Trade_Allowance Charge</b>	<b>Details on allowances and charges</b> Status: <b>D</b>
1 .. 1	<u>Trade_Allowance Charge.Charge. Indicator</u>	Charge indicator Status: <b>R</b>
1 .. 1	<u>Indicator.Content</u>	Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade_Allowance Charge.Sequence. Numeric</u>	Calculation sequence Status: <b>O</b>
1 .. 1	<u>Numeric.Content</u>	Calculation sequence, value Example: <b>1</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Allowance Charge.Calculation. Percent</u>	Allowance Charge Percent Status: <b>O</b>
1 .. 1	<u>Numeric.Content</u>	Allowance Charge Percent, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Allowance Charge.Basis.Amount</u>	Base amount of allowance or charge Status: <b>O</b>
1 .. 1	<u>Amount.Content</u>	Base amount of allowance or charge Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Amount Currency.Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_Allowance Charge.Basis. Quantity</u>	Base quantity of allowance or charge Status: <b>O</b>
1 .. 1	<u>Quantity.Content</u>	Base quantity of allowance or charge, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Quantity Unit.Code</u>	Price base quantity unit Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Trade_Allowance Charge.Actual. Amount</u>	Allowance or charge base amount Status: <b>R</b>
1 .. 1	<u>Amount.Content</u>	Allowance or charge base amount, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: COMFORT and upwards
0 .. 1	<u>Trade Allowance Charge. Reason. Code</u>	Reason for allowance or charge (Code) Status: O
1 .. 1	<u>Code. Content</u>	Reason for allowance or charge (Code), value Status: R Profile: EXTENDED only
0 .. 1	<u>Trade Allowance Charge. Reason. Text</u>	Reason for allowance or charge (free text) Status: D
1 .. 1	<u>Text. Content</u>	Reason for allowance or charge (free text), value Status: R Profile: COMFORT and upwards
0 .. unbounded	<b>Trade Allowance Charge. Category. Trade Tax</b>	<b>Details of tax information</b> Status: D
1 .. 1	<u>Trade Tax. Type. Code</u>	Tax type (Code) Status: R
1 .. 1	<u>Code. Content</u>	Tax type (code), value Status: R Profile: COMFORT and upwards
1 .. 1	<u>Trade Tax. Category. Code</u>	Tax category Status: R
1 .. 1	<u>Code. Content</u>	Tax category, value Status: R Profile: COMFORT and upwards
1 .. 1	<u>Trade Tax. Applicable. Percent</u>	Tax rate percentage Status: R
1 .. 1	<u>Numeric. Content</u>	Tax rate percentage, value Status: R Profile: COMFORT and upwards
0 .. unbounded	<b>Supply Chain Trade Settlement. Specified. Logistics Service Charge</b>	<b>Details on logistics service charges</b> Synonym: <i>Transport and packaging costs</i> Status: D
1 .. unbounded	<u>Logistics Service Charge. Description. Text</u>	Service charge ID Status: R
1 .. 1	<u>Text. Content</u>	Service charge ID, value Example: Shipping and packaging costs Status: R Profile: COMFORT and upwards
1 .. 1	<u>Logistics Service Charge. Applied. Amount</u>	Service charge amount Status: R
1 .. 1	<u>Amount. Content</u>	Service charge amount, value Status: R Profile: COMFORT and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: COMFORT and upwards
0 .. unbounded	<b>Logistics Service Charge. Applied. Trade Tax</b>	<b>Details on taxes</b> Status: D
1 .. 1	<u>Trade Tax. Type. Code</u>	Tax type (Code) Status: R
1 .. 1	<u>Code. Content</u>	Tax type (Code), value Status: R Profile: COMFORT and upwards
1 .. 1	<u>Trade Tax. Category. Code</u>	Tax category Status: R

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Code. Content</u>	Tax category, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Trade Tax. Applicable. Percent</u>	Tax percentage Status: <b>R</b>
1 .. 1	<u>Numeric. Content</u>	Tax percentage, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>Supply Chain_ Trade Settlement. Specified. Trade_ Payment Terms</b> Status: <b>D</b>	<b>Details on payment terms</b>
1 .. unbounded	<u>Trade Payment Terms. Description. Text</u>	Free text of the payment terms Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Free text on payment terms, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade Payment Terms. Due Date. Date Time</u>	Due date Status: <b>O</b>
1 .. 1	<u>Date Time. Content</u>	Due date, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<u>Trade Payment Terms. Partial Payment. Amount</u>	Partial payment amount Status: <b>O</b>
1 .. 1	<u>Amount. Content</u>	Partial payment amount, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Payment Terms. Applicable. Trade_ Payment Penalty Terms</b> Status: <b>O</b>	<b>Detail of payment penalties</b>
0 .. 1	<u>Trade Payment Penalty Terms. Basis. Date Time</u>	Reference date for when the payment is due Status: <b>O</b>
1 .. 1	<u>Date Time. Content</u>	Reference date for when the payment is due, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Payment Penalty Terms. Basis. Period. Measure</u>	Due date period Status: <b>O</b>
1 .. 1	<u>Measure. Content</u>	Profile: <b>EXTENDED only</b>
1 .. 1	<u>Measure Unit. Code</u>	Due date period, unit Example: <b>DAY</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Payment Penalty Terms. Basis. Amount</u>	Base amount for payment penalty Status: <b>O</b>
1 .. 1	<u>Amount. Content</u>	Base amount for payment penalty, value Status: <b>R</b> Profile: <b>EXTENDED only</b>



Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: EXTENDED only
0 .. 1	<u>Trade Payment Penalty Terms. Calculation. Percent</u>	Payment penalty percentage Status: O Profile: EXTENDED only
1 .. 1	<u>Numeric. Content</u>	Payment penalty percentage, value Status: R Profile: EXTENDED only
0 .. 1	<u>Trade Payment Penalty Terms. Actual Penalty. Amount</u>	Payment penalty amount Status: O Profile: EXTENDED only
1 .. 1	<u>Amount. Content</u>	Payment penalty amount, value Status: R Profile: EXTENDED only
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
0 .. 1	<b>Trade Payment Terms. Applicable. Trade Payment Discount Terms</b>	<b>Details on payment discounts</b> Status: O
0 .. 1	<u>Trade Payment Discount Terms. Basis. Date Time</u>	Reference date for when the payment is due Status: O Profile: EXTENDED only
1 .. 1	<u>Date Time. Content</u>	Reference date for when the payment is due, value Status: R Profile: EXTENDED only
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: 102 Status: R Profile: EXTENDED only
0 .. 1	<u>Trade Payment Discount Terms. Basis. Period. Measure</u>	Due date period Status: O Profile: EXTENDED only
1 .. 1	<u>Measure. Content</u>	Due date period, value Example: 10 Status: R Profile: EXTENDED only
1 .. 1	<u>Measure Unit. Code</u>	Due date period, unit Example: DAY Status: R Profile: EXTENDED only
0 .. 1	<u>Trade Payment Discount Terms. Basis. Amount</u>	Base amount for payment discounts Status: O Profile: EXTENDED only
1 .. 1	<u>Amount. Content</u>	Base amount for payment discounts, value Status: R Profile: EXTENDED only
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: EXTENDED only
0 .. 1	<u>Trade Payment Discount Terms. Calculation. Percent</u>	Payment discount percentage Status: O Profile: EXTENDED only
1 .. 1	<u>Numeric. Content</u>	Payment discount percentage, value Status: R Profile: EXTENDED only
0 .. 1	<u>Trade Payment Discount Terms. Actual Discount. Amount</u>	Payment discount amount Status: O Profile: EXTENDED only
1 .. 1	<u>Amount. Content</u>	Payment discount amount, value Status: R Profile: EXTENDED only

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: EXTENDED only
1 .. 1	<b>Supply Chain_ Trade Settlement. Specified. Trade Settlement_ Monetary Summation</b>	<b>Details of document totals</b>  Status: R
1 .. 1	<u>Trade Settlement_ Monetary Summation. Line Total. Amount</u>	Line total amount  Status: R
1 .. 1	<u>Amount. Content</u>	Line total amount, value Status: R Profile: BASIC and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<u>Trade Settlement_ Monetary Summation. Charge Total. Amount</u>	Charge total amount  Status: R
1 .. 1	<u>Amount. Content</u>	Charge total amount, value Status: R Profile: BASIC and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<u>Trade Settlement_ Monetary Summation. Allowance Total. Amount</u>	Allowance total amount  Status: R
1 .. 1	<u>Amount. Content</u>	Allowance total amount, value Status: R Profile: BASIC and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<u>Trade Settlement_ Monetary Summation. Tax Basis Total. Amount</u>	Tax basis total amount  Status: R
1 .. 1	<u>Amount. Content</u>	Tax basis total amount, value Status: R Profile: BASIC and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<u>Trade Settlement_ Monetary Summation. Tax Total. Amount</u>	Tax total amount  Status: R
1 .. 1	<u>Amount. Content</u>	Tax total amount, value Status: R Profile: BASIC and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<u>Trade Settlement_ Monetary Summation. Grand Total. Amount</u>	Grand total  Status: R
1 .. 1	<u>Amount. Content</u>	Grand total, value Status: R Profile: BASIC and upwards

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
0 .. 1	<u>Trade Settlement Monetary Summation. Total Prepaid. Amount</u>	Total prepaid amount Status: D
1 .. 1	<u>Amount. Content</u>	Total prepaid amount, value Status: R Profile: COMFORT and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: COMFORT and upwards
0 .. 1	<u>Trade Settlement Monetary Summation. Due Payable. Amount</u>	Due payable amount Status: D
1 .. 1	<u>Amount. Content</u>	Due payable amount, value Status: R Profile: COMFORT and upwards
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: EUR Status: R Profile: COMFORT and upwards
0 .. 1	<b>Supply Chain Trade Settlement. Receivable Specified. Trade Accounting Account</b>	<b>Details of booking reference</b> Status: O
1 .. 1	<u>Trade Accounting Account. Identification. Identifier</u>	Booking reference Synonym: Cost centre Status: R
1 .. 1	<u>Identifier. Content</u>	Profile: EXTENDED only
1 .. unbounded	<b>Supply Chain Trade Transaction. Included. Supply Chain Trade Line Item</b>	<b>Grouping of item information</b> Status: R
1 .. 1	<b>Supply Chain Trade Line Item. Associated. Document Line Document</b>	<b>Grouping of general information</b> Status: R
0 .. 1	<u>Document Line Document. Line. Identifier</u>	Line number Status: A
1 .. 1	<u>Identifier. Content</u>	Line number, value Status: R Profile: COMFORT and upwards
0 .. unbounded	<b>Document Line Document. Included. Note</b>	<b>Details of free text relating to the item</b> Status: O
0 .. 1	<u>Note. Content. Code</u>	Free text (Content code) Status: O
1 .. 1	<u>Code. Content</u>	Free text (Content code), value Status: R Profile: EXTENDED only
1 .. unbounded	<u>Note. Content. Text</u>	Free text Status: R
1 .. 1	<u>Text. Content</u>	Free text, value Status: R Profile: COMFORT and upwards
0 .. 1	<u>Note. Subject. Code</u>	Free text (Subject code) Status: O

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Code</u> . Content	Free text (subject code), value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Line Item. Specified. Supply Chain_ Trade Agreement</b>	<b>Grouping of agreement information</b> Status: <b>A</b>
0 .. 1	<b>Supply Chain_ Trade Agreement. Buyer Order_ Referenced. Referenced_ Document</b>	<b>Details on referenced order</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date</u> Time	Order date
1 .. 1	<u>Date Time. Content</u>	Order date, value Status: <b>O</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced Document. Line. Identifier</u>	Item number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Item number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Order Id
1 .. 1	<u>Identifier. Content</u>	Status: <b>R</b> Order Id, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Agreement. Contract_ Referenced. Referenced_ Document</b>	<b>Details on referenced contract</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date</u> Time	Contract date
1 .. 1	<u>Date Time. Content</u>	Contract date, value Status: <b>O</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced Document. Line. Identifier</u>	Item number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Item number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Contract ID
1 .. 1	<u>Identifier. Content</u>	Status: <b>R</b> Contract Id, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Supply Chain_ Trade Agreement. Additional_ Referenced. Referenced_ Document</b>	<b>Details on additional document references</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date</u> Time	Document date
		Status: <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Date Time. Content</u>	Document date, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced Document. Line. Identifier</u>	Item number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Item number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Document Id Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Document Id, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Referenced Document. Reference Type. Code</u>	Document type Status: <b>R</b>
1 .. 1	<u>Code. Content</u>	Document type, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Agreement. Gross Price_ Product. Trade_ Price</b>	<b>Details on gross price excluding taxes</b> Status: <b>A</b>
1 .. 1	<u>Trade Price. Charge. Amount</u>	Gross price Status: <b>R</b>
1 .. 1	<u>Amount. Content</u>	Gross price, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade Price. Basis. Quantity</u>	Price base quantity Status: <b>O</b>
1 .. 1	<u>Quantity. Content</u>	Price base quantity, value Example: <b>1, 10, 100</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Quantity Unit. Code</u>	Price base quantity unit Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>Trade Price. Applied. Trade Allowance Charge</b>	<b>Details on allowances and charges</b> Status: <b>O</b>
1 .. 1	<u>Trade Allowance Charge. Charge. Indicator</u>	Charge indicator Status: <b>R</b>
1 .. 1	<u>Indicator. Content</u>	Charge indicator, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade Allowance Charge. Sequence. Numeric</u>	Calculation sequence Status: <b>O</b>
1 .. 1	<u>Numeric. Content</u>	Calculation sequence, value Example: <b>1</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Allowance Charge. Calculation. Percent</u>	Allowance charge percent Status: <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Numeric. Content</u>	Allowance charge percent, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Allowance Charge. Basis. Amount</u>	Base amount for allowances and charges Status: <b>O</b>
1 .. 1	<u>Amount. Content</u>	Profile: <b>EXTENDED only</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Allowance Charge. Basis. Quantity</u>	Base quantity for allowances and charges Status: <b>O</b>
1 .. 1	<u>Quantity. Content</u>	Base quantity for allowances and charges, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Quantity Unit. Code</u>	Price base quantity unit Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Trade Allowance Charge. Actual. Amount</u>	Allowance or charge amount Status: <b>R</b>
1 .. 1	<u>Amount. Content</u>	Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade Allowance Charge. Reason. Code</u>	Reason for allowance or charge (Code) Status: <b>O</b>
1 .. 1	<u>Code. Content</u>	Reason for allowance or charge (Code), value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Allowance Charge. Reason. Text</u>	Reason for allowance or charge (free text) Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Reason for allowance or charge (free text), value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Supply Chain_ Trade Agreement. Net Price_ Product. Trade_ Price</b>	<b>Details on net price without tax</b> Remark: The net prices included all allowances and charges, but no taxes. Status: <b>A</b>
1 .. 1	<u>Trade Price. Charge. Amount</u>	Net price Status: <b>R</b>
1 .. 1	<u>Amount. Content</u>	Net price, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade Price. Basis. Quantity</u>	Price base quantity Status: <b>O</b>
1 .. 1	<u>Quantity. Content</u>	Price base quantity, value Example: <b>1, 10, 100</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Quantity Unit. Code</u>	Unit of price base quantity Example: <b>C62</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<b>Supply Chain_ Trade Agreement. Customer Order_ Referenced. Referenced_ Document</b>	<b>Details on referenced customer order</b> Status: <b>O</b>
0 .. 1	Referenced_ Document. Issue. Date Time	Order date Status: <b>O</b>
1 .. 1	Date Time. Content	Order date, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Date Time. Format. Text	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Referenced_ Document. Line. Identifier	Item number Status: <b>O</b>
1 .. 1	Identifier. Content	Item number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Referenced_ Document. Identification. Identifier	Order number Status: <b>R</b>
1 .. 1	Identifier. Content	Order number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Line Item. Specified. Supply Chain_ Trade Delivery</b>	<b>Grouping on delivery information</b> Status: <b>A</b>
1 .. 1	Supply Chain_ Trade Delivery. Billed. Quantity	Billed quantity Status: <b>R</b>
1 .. 1	Quantity. Content	Billed quantity, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	Quantity Unit. Code	Measurement unit Example: <b>C62</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	Supply Chain_ Trade Delivery. Charge Free. Quantity	Charge free quantity Status: <b>O</b>
1 .. 1	Quantity. Content	Charge free quantity, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Quantity Unit. Code	Measurement unit Example: <b>C62</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Supply Chain_ Trade Delivery. Package. Quantity	Package quantity Status: <b>O</b>
1 .. 1	Quantity. Content	Package quantity, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Quantity Unit. Code	Measurement unit Example: <b>BX</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Delivery. Ship To. Trade_ Party</b>	<b>Details on the alternative ship to</b> Status: <b>O</b>
0 .. 1	Trade_ Party. Identification. Identifier	Identification of ship to Status: <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	Identifier. Content	Identification of ship to, value Example: <b>TO123456</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	Trade_Party. Global_ Identification_ Identifier	Global identifier Status: <b>A</b>
1 .. 1	Identifier. Content	Global identifier, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Identification Scheme. Identifier	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Trade_Party. Name. Text	(Company) name of ship to Status: <b>R</b>
1 .. 1	Text. Content	(Company) name of ship to, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Party. Defined. Trade_Contact</b>	<b>Details of the contact person</b> Status: <b>O</b>
0 .. 1	Trade_Contact. Person Name. Text	Name of the contact person Status: <b>D</b>
1 .. 1	Text. Content	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Contact. Department Name. Text	Department name Status: <b>D</b>
1 .. 1	Text. Content	Department name, value Example: <b>Accounting</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Telephone. Universal_ Communication</b>	<b>Department name, value</b> Example: <b>Accounting</b> Status: <b>R</b>
1 .. 1	Universal_ Communication. Complete Number. Text	Phone number Status: <b>R</b>
1 .. 1	Text. Content	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Fax. Universal_ Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	Universal_ Communication. Complete Number. Text	Fax number Status: <b>R</b>
1 .. 1	Text. Content	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade_Contact. Email_ URI. Universal_ Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	Universal_ Communication. URI. Identifier	Email Status: <b>R</b>
1 .. 1	Identifier. Content	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>



Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<b>Trade_Party. Postal. Trade_ Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	Trade_Address. Postcode. Code	Postcode Status: <b>A</b>
1 .. 1	Code. Content	Postcode, value Example: <b>69876</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address. Line One. Text	Line one of address Status: <b>A</b>
1 .. 1	Text. Content	Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address. Line Two. Text	Line two Status: <b>O</b>
1 .. 1	Text. Content	Line two, value Example: <b>3. Etage rechts</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address. City Name. Text	City Status: <b>A</b>
1 .. 1	Text. Content	City, value Example: <b>Frankfurt</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Trade_Address. Country. Identifier	Country (Code) Status: <b>A</b>
1 .. 1	Identifier. Content	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade_Party. Specified. Tax_ Registration</b>	<b>Details on tax registration</b> Status: <b>O</b>
0 .. 1	Tax_Registration. Identification. Identifier	(Local) tax Id VAT Id Status: <b>O</b> <b>O</b>
1 .. 1	Identifier. Content	(Local) tax Id, value VAT Id, value Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>D</b> <b>D</b> Profile: <b>EXTENDED only</b>
1 .. 1	Identification Scheme. Identifier	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Delivery. Ultimate_ Ship To. Trade_ Party</b>	<b>Details of the alternative ultimate ship to</b> Status: <b>O</b>
0 .. 1	Trade_Party. Identification. Identifier	Identification of ultimate ship to Status: <b>O</b>
1 .. 1	Identifier. Content	Identification of ultimate ship to, value Example: <b>U123456</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	Trade_Party. Global Identification. Identifier	Global identifier Status: <b>A</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identifier. Content</u>	Global identifier, value Synonym: GLN, DUNS, BIC,ODETTE, ... Example: <a href="#">GENODED1SPK, 4000001000005</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global identifier Example: <a href="#">0021, 0088, 0060, 0177</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Trade Party. Name. Text</u>	(Company) name of the ultimate ship to Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	(Company) name of the ultimate ship to, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Party. Defined. Trade Contact</b>	<b>Details of the contact person</b> Status: <b>O</b>
0 .. 1	<u>Trade Contact. Person Name. Text</u>	Name of the contact person Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Contact person name, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Contact. Department Name. Text</u>	Department name Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Department name, value Example: <a href="#">Accounting</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Contact. Telephone. Universal Communication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. Complete Number. Text</u>	Phone number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Phone number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Contact. Fax. Universal Communication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. Complete Number. Text</u>	Fax number Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Fax number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Contact. Email URI. Universal Communication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<u>Universal Communication. URI. Identifier</u>	Email Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Email, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Trade Party. Postal. Trade Address</b>	<b>Details on address</b> Status: <b>A</b>
0 .. 1	<u>Trade Address. Postcode. Code</u>	Postcode Status: <b>A</b>
1 .. 1	<u>Code. Content</u>	Postcode, value Example: <a href="#">69876</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<u>Trade Address. Line One. Text</u>	Line one of address Status: <b>A</b>
1 .. 1	<u>Text. Content</u>	Line one, value Example: <b>Kundenstraße 15</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Address. Line Two. Text</u>	Line two Status: <b>O</b>
1 .. 1	<u>Text. Content</u>	Line two, value Example: <b>3. Etage rechts</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Address. City Name. Text</u>	City Status: <b>A</b>
1 .. 1	<u>Text. Content</u>	City, value Example: <b>Frankfurt</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade Address. Country. Identifier</u>	Country (Code) Status: <b>A</b>
1 .. 1	<u>Identifier. Content</u>	Country (Code), value Example: <b>DE</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade Party. Specified. Tax Registration</b>	<b>Details on tax registration</b> Status: <b>O</b>
0 .. 1	<u>Tax Registration. Identification. Identifier</u>	(Local) tax Id VAT Id Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	(Local) tax Id, value VAT Id, value Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>D</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Profile: <b>EXTENDED only</b> Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain Trade Delivery. Actual Delivery. Supply Chain Event</b>	<b>Details on actual delivery</b> Status: <b>D</b>
0 .. 1	<u>Supply Chain Event. Occurrence. Date Time</u>	Actual date of delivery or date of service provision Status: <b>D</b>
1 .. 1	<u>Date Time. Content</u>	Actual date of delivery, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain Trade Delivery. Despatch Advice Referenced. Referenced Document</b>	<b>Details on referenced despatch advice</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date Time</u>	Document date Status: <b>O</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Date Time. Content</u>	Document date, value Status: <b>R</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced Document. Line. Identifier</u>	Item number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Item number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Despatch advice number Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Despatch advice number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Delivery. Receiving Advice_ Referenced. Referenced Document</b>	<b>Details on referenced receiving advice</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date Time</u>	Document date Status: <b>O</b>
1 .. 1	<u>Date Time. Content</u>	Document date, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced Document. Line. Identifier</u>	Item number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Item number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Document number Status: <b>R</b>
1 .. 1	<u>Identifier. Content</u>	Document number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Delivery. Delivery Note_ Referenced. Referenced Document</b>	<b>Details on referenced delivery note</b> Status: <b>O</b>
0 .. 1	<u>Referenced Document. Issue. Date Time</u>	Document date Status: <b>O</b>
1 .. 1	<u>Date Time. Content</u>	Document date, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced Document. Line. Identifier</u>	Item number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Item number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Referenced Document. Identification. Identifier</u>	Document number Status: <b>R</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identifier. Content</u>	Document number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>Supply Chain_ Trade Line Item. Specified. Supply Chain_ Trade Settlement</b>	<b>Grouping on settlement information</b> Status: <b>R</b>
0 .. unbounded	<b>Supply Chain_ Trade Settlement. Applicable. Trade_ Tax</b>	<b>Details on taxes</b> Remark: This section must be used even in the BASIC profile, if the invoice needs to show more than one tax type. Status: <b>D</b>
0 .. 1	<u>Trade_ Tax. Calculated. Amount</u>	Tax amount Status: <b>D</b>
1 .. 1	<u>Amount. Content</u>	
1 .. 1	<u>Amount Currency. Identifier</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Trade_ Tax. Type. Code</u>	Tax type (Code) Status: <b>D</b>
1 .. 1	<u>Code. Content</u>	Tax type (Code), value Example: <b>VAT</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade_ Tax. Exemption Reason. Text</u>	Exemption reason (free text) Status: <b>D</b>
1 .. 1	<u>Text. Content</u>	Exemption reason (free text), value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<u>Trade_ Tax. Category. Code</u>	Tax category Status: <b>D</b>
1 .. 1	<u>Code. Content</u>	Tax category, value Example: <b>S</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<u>Trade_ Tax. Applicable. Percent</u>	Tax percentage Status: <b>R</b>
1 .. 1	<u>Numeric. Content</u>	Tax percentage, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Supply Chain_ Trade Settlement. Billing. Specified_ Period</b>	<b>Details on billing period</b> Status: <b>O</b>
1 .. 1	<u>Specified_ Period. Start. Date Time</u>	Start of billing period Status: <b>R</b>
1 .. 1	<u>Date Time. Content</u>	Start of billing period, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Specified_ Period. End. Date Time</u>	End of billing period Status: <b>R</b>
1 .. 1	<u>Date Time. Content</u>	End of billing period, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Date Time. Format. Text</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element / Attribute	Business term / Properties
0 .. 1	<b>Supply Chain_ Trade Settlement_ Specified. Trade_ Accounting Account</b>	<b>Details of the booking reference</b> Status: <b>O</b>
1 .. 1	Trade_ Accounting Account_ Identification. Identifier	Booking reference Synonym: Cost center Status: <b>R</b>
1 .. 1	Identifier. Content	Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Settlement_ Specified. Trade Settlement_ Monetary Summation</b>	<b>Details on summation</b> Remark: If only a text block without pricing is specified, this block can be omitted. Otherwise, it must be indicated. Status: <b>D</b>
1 .. 1	Trade Settlement_ Monetary Summation. Line Total. Amount	Line total amount Status: <b>R</b>
1 .. 1	Amount. Content	Line total amount, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	Amount Currency. Identifier	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	Trade Settlement_ Monetary Summation. Total Allowance Charge_ Amount	Allowance and charge total Status: <b>D</b>
1 .. 1	Amount. Content	Profile: <b>EXTENDED only</b>
1 .. 1	Amount Currency. Identifier	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Supply Chain_ Trade Line Item_ Specified. Trade_ Product</b>	<b>Grouping of product or service information</b> Status: <b>A</b>
0 .. 1	Trade_ Product. Global Identification_ Identifier	Global identifier of the article Synonym: GTIN, ... Status: <b>A</b>
1 .. 1	Identifier. Content	Global identifier of the article, value Synonym: GTIN, ... Example: <b>4000001000005</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	Identification Scheme. Identifier	Type of global trade item number Synonym: GTIN, ... Example: <b>0160</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	Trade_ Product. Seller Assigned Identification_ Identifier	Seller's article number Status: <b>O</b>
1 .. 1	Identifier. Content	Seller's article number, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	Trade_ Product. Buyer Assigned Identification_ Identifier	Buyer's article number Status: <b>O</b>
1 .. 1	Identifier. Content	Buyer's article number, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	Trade_Product. Name. Text	Article name Status: <b>R</b>
1 .. 1	Text. Content	Article name, value Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	Trade_Product. Description. Text	Article description Status: <b>O</b>
1 .. 1	Text. Content	Article description, value Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>Trade_Product. Applicable. Product_Characteristic</b>	<b>Details on product characteristics</b> Status: <b>O</b>
1 .. 1	Product_Characteristic. Type. Code	Type of product characteristic (Code) Status: <b>R</b>
1 .. 1	Code. Content	Profile: <b>EXTENDED only</b>
1 .. unbounded	Product_Characteristic. Description. Text	Type of product characteristic (free text) Status: <b>R</b>
1 .. 1	Text. Content	Type of product characteristic (free text), value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Product_Characteristic. Value. Measure	Value of product characteristic (numeric measurement) Status: <b>D</b>
1 .. 1	Measure. Content	Value of product characteristic (numeric measurement), value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Measure Unit. Code	Measurement unit Example: <b>C62</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	Product_Characteristic. Value. Text	Value of product characteristic (text) Status: <b>D</b>
1 .. 1	Text. Content	Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade_Product. Designated. Product_Classification</b>	<b>Details on product classification</b> Status: <b>O</b>
1 .. 1	Product_Classification. Class. Code	Details on product classification (Code) Status: <b>R</b>
1 .. 1	Code. Content	Profile: <b>EXTENDED only</b>
1 .. 1	Code List. Identifier	Product classification name Example: <b>GPC, ECL, UNSPSC</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	Code List. Version. Identifier	Version of product classification Example: <b>2013</b> Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. unbounded	Product_Classification. Class Name. Text	Classification of product (free text) Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	Text. Content	Product classification (free text), value Synonym: Commodity group Example: <b>beer</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade_Product. Origin. Trade_Country</b>	<b>Details of product origin</b> Status: <b>D</b>
0 .. 1	Trade_Country. Identification. Identifier	Country of origin (Code) Status: <b>R</b>

Cardinality	Element / Attribute	Business term / Properties
1 .. 1	<u>Identifier. Content</u>	Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Trade_Product. Included. Referenced_Product</b>	<b>Details on included products</b> Status: <b>O</b>
0 .. unbounded	<u>Referenced_Product. Global Identification. Identifier</u>	Global identifier of the article Synonym: GTIN, ... Status: <b>A</b>
1 .. 1	<u>Identifier. Content</u>	Global identifier of the article, value Synonym: GTIN, ... Example: <b>4000001000005</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Identification Scheme. Identifier</u>	Type of global trade item number Synonym: GTIN, ... Example: <b>0160</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced_Product. Seller Assigned Identification. Identifier</u>	Seller's article number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Seller's article number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<u>Referenced_Product. Buyer Assigned Identification. Identifier</u>	Buyer's article number Status: <b>O</b>
1 .. 1	<u>Identifier. Content</u>	Buyer's article number, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. unbounded	<u>Referenced_Product. Name. Text</u>	Article name Status: <b>R</b>
1 .. 1	<u>Text. Content</u>	Profile: <b>EXTENDED only</b>
0 .. unbounded	<u>Referenced_Product. Description. Text</u>	Article description Status: <b>O</b>
1 .. 1	<u>Text. Content</u>	Article description, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<u>Referenced_Product. Unit. Quantity</u>	Quantity, included Status: <b>O</b>
1 .. 1	<u>Quantity. Content</u>	Quantity, included, value Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<u>Quantity Unit. Code</u>	Measurement unit Example: <b>C62</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>



77 **4 The ZUGFeRD schema**

78 **4.1 Structure**

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>CrossIndustryDocument</b>	
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>SpecifiedExchangedDocumentContext</b>	<b>Grouping of message based properties</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>TestIndicator</b>	<b>Test indicator</b> Remark: The test indicator can be used when implementing a newly developed system. It is to mark the invoice as a "test" and thus not leading to vat issues. Status: <b>O</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>Indicator</b> xs:boolean	Path to element: CrossIndustryDocument +SpecifiedExchangedDocumentContext ++TestIndicator +++Indicator
0 .. 1	<b>BusinessProcessSpecifiedDocumentContextParameter</b>	<b>Grouping of business context information</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Business process, value</b> Path to element: CrossIndustryDocument +SpecifiedExchangedDocumentContext ++BusinessProcessSpecifiedDocumentContextParameter +++ID Example: <a href="#">Material</a> , <a href="#">Freight charges</a> , <a href="#">Service invoice</a> Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>GuidelineSpecifiedDocumentContextParameter</b>	<b>Grouping of guideline information</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>ID</b> udt:IDType	<b>Guideline</b> Path to element: CrossIndustryDocument +SpecifiedExchangedDocumentContext ++GuidelineSpecifiedDocumentContextParameter +++ID Synonym: <i>Profile</i> Remark: case sensitive and version dependent Example: <a href="#">urn:ferd:CrossIndustryDocument:invoice:1p0:extended</a> Status: <b>R</b>
1 .. 1	<b>HeaderExchangedDocument</b>	<b>Grouping of properties regarding the whole document</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>ID</b> udt:IDType	<b>Invoice identifier, value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++ID Example: <a href="#">2012-12345</a> Status: <b>R</b> Profile: <b>BASIC and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>Name</b> udt:TextType	<b>Document name (free text), value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++Name Example: INVOICE, CREDIT NOTE, PROFORMA INVOICE Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<b>TypeCode</b> qdt:DocumentCodeType	<b>Document type (Code), value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++TypeCode Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<b>IssueDateTime</b>	<b>Invoice date</b> Status: <b>R</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>DateTimeString</b> extension (xsd:string)	<b>Invoice date, value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++IssueDateTime +++DateTimeString Synonym: <i>Document date</i> Example: 20130305 Profile: <b>BASIC and upwards</b>
required ..	<u>format</u>	Date, format Example: 102 Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>CopyIndicator</b>	<b>Copy indicator</b> Remark: Should only be used, if XML Date is not contentwise identical according to VAT regulation. Status: <b>D</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>Indicator</b> xs:boolean	Path to element: CrossIndustryDocument +HeaderExchangedDocument ++CopyIndicator +++Indicator
0 .. unbounded	<b>LanguageID</b> udt:IDType	<b>Language identifier, value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++LanguageID Example: de Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>IncludedNote</b>	<b>Free text on header level</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ContentCode</b> udt:CodeType	<b>Free text on header level (qualifying the            content), value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++IncludedNote +++ContentCode Status: <b>O</b> Profile: <b>nur EXTENDED</b>

Cardinality	Element/Attribute	Business term / Properties
1 .. unbounded	<b>Content</b> udt:TextType	<b>Free text on header level (content)</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++IncludedNote +++Content Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>SubjectCode</b> udt:CodeType	<b>Free text on header level (qualifying the type of text), value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++IncludedNote +++SubjectCode Status: <b>A</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>EffectiveSpecifiedPeriod</b>	<b>Contractual invoice due date</b> Remark: Should only be used, if the contractual due date is different to the payment due date (e.g. with SEPA credit transfers). Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	<b>Contractual invoice due date</b> Status: <b>R</b>
1 .. 1	<b>CompleteDateTime</b>	<b>Contractual invoice due date, value</b> Path to element: CrossIndustryDocument +HeaderExchangedDocument ++EffectiveSpecifiedPeriod +++CompleteDateTime ++++DateTimeString Profile: <b>EXTENDED only</b> Date, format Example: 102 Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>DateTimeString</b> extension (xsd:string)	
required ..	<b>format</b>	
1 .. 1	<b>SpecifiedSupplyChainTradeTransaction</b>	<b>Grouping information of trade transaction</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>ApplicableSupplyChainTradeAgreement</b>	<b>Grouping on trade agreement</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>BuyerReference</b> udt:TextType	<b>Buyer reference, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerReference Remark: Information helping the receiver to assign the invoice correctly. Rq 003, INV 082 Status: <b>O</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>SellerTradeParty</b>	<b>Seller (=beneficiary)</b> Synonym: <i>The seller (=taxable person) is, by default, also the invoice issuer, the originator of the invoice, the supplier and the payee. If some of these roles have been transferred to other people, these must be defined separately.</i> Status: <b>R</b>

Cardinality	Element/Attribute	Business term / Properties
1 .. 1 0 .. 1	<b>xsd:sequence</b> - <b>ID</b> udt:IDType	<b>Seller ID, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++ID  Synonym: <i>Supplier identification assigned by the customer</i> Remark: The seller's ID is a unique identifier assigned to the seller and agreed on a bilateral basis. Status: <b>O</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier of the seller, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++GlobalID  Synonym: <i>GLN, DUNS, BIC, ODETTE, ...</i> Remark: The seller's global ID is a unique identifier assigned to a seller by a global registration body. Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>A</b> Profile: <b>COMFORT and upwards</b>
required ..	<b>schemeID</b>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of the seller, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++Name  Example: <b>Lieferant GmbH</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details on the seller's contact person</b> Status: <b>O</b>
1 .. 1 0 .. 1	<b>xsd:sequence</b> - <b>PersonName</b> udt:TextType	<b>Contact person name, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++DefinedTradeContact +++++PersonName  Example: <b>Karin Mustermann</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++DefinedTradeContact +++++DepartmentName  Example: <b>Accounting</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication ++++++CompleteNumber Remark: Usage of an international format is advised. Example: +49 (123) 456789-0 Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication ++++++CompleteNumber Example: +49 (123) 456789-999 Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>URIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++URIID Example: karin.mustermann@seller.tld Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++PostalTradeAddress +++++PostcodeCode Example: 80333 Status: <b>A</b> Profile: <b>BASIC and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++PostalTradeAddress +++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: <a href="#">Lieferantenstraße 20</a> Status: <b>A</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++PostalTradeAddress +++++LineTwo Example: <a href="#">Gebäude 3</a> Status: <b>O</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++PostalTradeAddress +++++CityName Example: <a href="#">München</a> Status: <b>A</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++PostalTradeAddress +++++ISO_ISOtwoletterCountryCode_SecondEdition 2006.TXT Example: <a href="#">DE</a> Status: <b>A</b> Profile: <b>BASIC and upwards</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Tax registration details</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value</b> <b>VAT Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++SellerTradeParty ++++SpecifiedTaxRegistration +++++ID Example: <a href="#">201/113/40209</a> <a href="#">DE234567891</a> Status: <b>D</b> <b>D</b> Profile: <b>BASIC and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
required ..	<u>schemeID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: FC, VA Status: R Profile: BASIC and upwards
1 .. 1	<b>BuyerTradeParty</b>	<b>Buyer (=beneficiary)</b> Synonym: <i>The buyer (=customer) is, by default, also the ship-to-party, the invoicee and the payee. If some of these roles have been transferred to other people, these must be defined separately.</i> Status: R
1 .. 1 0 .. 1	<u>xsd:sequence</u> <b>ID</b> udt:IDType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++ID Status: O Profile: COMFORT and upwards
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global Identifier of the buyer, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++GlobalID Synonym: GLN, DUNS, BIC, ODETTE, ... Remark: The buyer's global ID is a unique identifier assigned to a buyer by a global registration body. Example: GENODED1SPK, 4000001000005 Status: A Profile: COMFORT and upwards
required ..	<u>schemeID</u>	Type of global identifier Example: 0021, 0088, 0060, 0177 Status: R Profile: COMFORT and upwards
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of the buyer, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++Name Example: Kunden AG Mitte Status: R Profile: BASIC and upwards
0 .. 1	<b>DefinedTradeContact</b>	<b>Details on the buyer's contact person</b> Status: O
1 .. 1 0 .. 1	<u>xsd:sequence</u> <b>PersonName</b> udt:TextType	<b>Contact person name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++DefinedTradeContact +++++PersonName Example: Karin Mustermann Status: D Profile: EXTENDED only

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++DefinedTradeContact +++++DepartmentName Example: <a href="#">Accounting</a> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1		<b>TelephoneUniversalCommunication</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b> <b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication ++++++CompleteNumber Remark: Usage of an international format is advised. Example: <a href="#">+49 (123) 456789-0</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1		<b>FaxUniversalCommunication</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b> <b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication ++++++CompleteNumber Example: <a href="#">+49 (123) 456789-999</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1		<b>EmailURIUniversalCommunication</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b> <b>URIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++URIID Example: <a href="#">karin.mustermann@seller.tld</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1		<b>PostalTradeAddress</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	



Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++PostalTradeAddress +++++PostcodeCode Example: 80333 Status: <b>A</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++PostalTradeAddress +++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: Kundenstraße 15 Status: <b>A</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++PostalTradeAddress +++++LineTwo Example: Gebäude 3 Status: <b>O</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++PostalTradeAddress +++++CityName Status: <b>A</b>
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++PostalTradeAddress +++++ISO_ISOTwoletterCountryCode_SecondEdition 2006.TXT Example: DE Status: <b>A</b> Profile: <b>BASIC and upwards</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Tax registration details</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value VAT Id, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerTradeParty ++++SpecifiedTaxRegistration +++++ID Example: 201/113/40209 DE234567891 Status: <b>D</b> <b>D</b> Profile: <b>BASIC and upwards</b>
required ..	<u>schemeID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>ProductEndUserTradeParty</b>	<b>Details on alternative product end user</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of the alternative product end user, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty +++++ID Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier of the alternative product end user, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty +++++GlobalID Synonym: <i>GLN, DUNS, BIC, ODETTE, ...</i> Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>A</b> Profile: <b>nur EXTENDED</b>
required ..	<u>schemeID</u>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>Name</b> udt:TextType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty +++++Name Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++DefinedTradeContact +++++PersonName  Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++DefinedTradeContact +++++DepartmentName  Example: Accounting Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b>  Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b> <b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication ++++++CompleteNumber  Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b>  Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b> <b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication ++++++CompleteNumber  Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b>  Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b> <b>URIID</b> udt:IDType	<b>Email, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++URIID  Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++PostalTradeAddress +++++PostcodeCode  Example: 69876 Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++PostalTradeAddress +++++LineOne  Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered.  Example: Kundenstraße 15 Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++PostalTradeAddress +++++LineTwo  Example: 3. Etage rechts Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++PostalTradeAddress +++++CityName  Example: Frankfurt Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++PostalTradeAddress +++++ISO_ISOtwoletterCountryCode_SecondEdition 2006.TXT  Example: DE Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Details on tax registration</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<ul style="list-style-type: none"> <li>ID</li> <li>udt:IDType</li> <li>schemeID</li> </ul>	<p><b>(Local) tax Id, value</b> <b>VAT Id, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ProductEndUserTradeParty ++++SpecifiedTaxRegistration +++++ID</p> <p>Example: 201/113/40209 DE234567891</p> <p>Status: <span style="color:red">○</span></p> <p>Profile: <b>EXTENDED only</b></p> <p>Type of tax identifier, value Synonym: tax Id, VAT Id Example: FC, VA Status: <span style="color:red">R</span> Profile: <b>EXTENDED only</b></p>
required		
0 .. 1	<ul style="list-style-type: none"> <li>xsd:sequence</li> <li>ApplicableTradeDeliveryTerms</li> </ul>	<p><b>Details on delivery terms</b></p> <p>Status: <span style="color:red">○</span></p>
1 .. 1	<ul style="list-style-type: none"> <li>DeliveryTypeCode</li> <li>qdt:DeliveryTermsCodeType</li> </ul>	<p><b>Delivery type (Code), value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ApplicableTradeDeliveryTerms ++++DeliveryTypeCode</p> <p>Synonym: Incoterms Status: <span style="color:red">R</span> Profile: <b>EXTENDED only</b></p>
1 .. 1		
0 .. 1	<ul style="list-style-type: none"> <li>xsd:sequence</li> <li>BuyerOrderReferencedDocument</li> </ul>	<p><b>Details on corresponding order</b></p> <p>Status: <span style="color:red">○</span></p>
1 .. 1	<ul style="list-style-type: none"> <li>IssueDateTime</li> <li>qdt:DateMandatoryDateTimeType</li> </ul>	<p><b>Order date, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerOrderReferencedDocument ++++IssueDateTime</p> <p>Status: <span style="color:red">○</span> Profile: <b>COMFORT and upwards</b></p>
0 .. 1		
1 .. 1	<ul style="list-style-type: none"> <li>ID</li> <li>udt:IDType</li> </ul>	<p><b>Order number, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++BuyerOrderReferencedDocument ++++ID</p> <p>Status: <span style="color:red">R</span> Profile: <b>COMFORT and upwards</b></p>
0 .. 1	<ul style="list-style-type: none"> <li>xsd:sequence</li> <li>ContractReferencedDocument</li> </ul>	<p><b>Details on referenced contract</b></p> <p>Status: <span style="color:red">○</span></p>
1 .. 1	<ul style="list-style-type: none"> <li>IssueDateTime</li> <li>qdt:DateMandatoryDateTimeType</li> </ul>	<p><b>Contract date, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ContractReferencedDocument ++++IssueDateTime</p> <p>Status: <span style="color:red">○</span> Profile: <b>COMFORT and upwards</b></p>
0 .. 1		

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>ID</b> udt:IDType	<b>Contract number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++ContractReferencedDocument ++++ID  Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>AdditionalReferencedDocument</b>	<b>Details on additional referenced document</b>  Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Document date, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++AdditionalReferencedDocument ++++IssueDateTime  Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>TypeCode</b> qdt:DocumentCodeType	<b>Type of referenced document, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++AdditionalReferencedDocument ++++TypeCode  Example: <b>BO</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Document number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++AdditionalReferencedDocument ++++ID  Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CustomerOrderReferencedDocument</b>	<b>Details on the referenced customer order</b>  Synonym: <b>Commission, reference to a customer</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Date of customer order reference, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++CustomerOrderReferencedDocument ++++IssueDateTime  Status: <b>O</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Customer order number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeAgreement +++CustomerOrderReferencedDocument ++++ID  Status: <b>R</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>ApplicableSupplyChainTradeDelivery</b>	<b>Grouping on delivery information</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>RelatedSupplyChainConsignment</b>	<b>Details on consignment or shipment</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. unbounded	<b>SpecifiedLogisticsTransportMovement</b>	<b>Details on transport movement</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ModeCode</b> udt:CodeType	<b>Transport mode (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++RelatedSupplyChainConsignment ++++SpecifiedLogisticsTransportMovement +++++ModeCode Example: 3 Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ID</b> udt:IDType	<b>Type of identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++RelatedSupplyChainConsignment ++++SpecifiedLogisticsTransportMovement +++++ID Remark: GSIN, GINC, flight no., ... Status: <b>O</b> Profile: <b>EXTENDED only</b>
required ..	<b>schemeID</b>	Type of identifier Remark: GSIN, GINC, flight no., ... Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ShipToTradeParty</b>	<b>Details on alternative ship to</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++ID Example: TO123456 Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++GlobalID Synonym: GLN, DUNS, BIC, ODETTE, ... Example: GENODED1SPK, 4000001000005 Status: <b>A</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
required	<u>schemaID</u>	Type of global identifier Example: 0021, 0088, 0060, 0177 Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++Name Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++DefinedTradeContact +++++PersonName Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++DefinedTradeContact +++++DepartmentName Example: Accounting Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication +++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication +++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>



Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>URIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++URIID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++PostalTradeAddress +++++PostcodeCode Example: 69876 Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++PostalTradeAddress +++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: Kundenstraße 15 Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++PostalTradeAddress +++++LineTwo Example: 3. Etage rechts Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++PostalTradeAddress +++++CityName Example: Frankfurt Status: <b>A</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++PostalTradeAddress +++++ISO_ISOTwoletterCountryCode_SecondEdition 2006.TXT Example: <b>DE</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Details on tax registration</b> Status: <b>○</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value</b> <b>VAT Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipToTradeParty ++++SpecifiedTaxRegistration +++++ID Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>○</b> <b>○</b> Profile: <b>EXTENDED only</b>
required	<u>schemeID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>UltimateShipToTradeParty</b>	<b>Details on alternative ultimate ship to</b> Status: <b>○</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of ultimate ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty +++++ID Example: <b>U123456</b> Status: <b>○</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty +++++GlobalID Synonym: <b>GLN, DUNS, BIC, ODETTE, ...</b> Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
required	<u>schemeID</u>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of the ultimate ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++Name Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++DefinedTradeContact +++++PersonName Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++DefinedTradeContact +++++DepartmentName Example: <b>Accounting</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication +++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication +++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>LURIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++LURIID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++PostalTradeAddress +++++PostcodeCode Example: <b>69876</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++PostalTradeAddress +++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: <b>Kundenstraße 15</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++PostalTradeAddress +++++LineTwo Example: <b>3. Etage rechts</b> Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++PostalTradeAddress +++++CityName Example: <b>Frankfurt</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++PostalTradeAddress +++++ISO_ISOTwoletterCountryCode_SecondEdition 2006.TXT Example: <b>DE</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Details on tax registration</b> Status: <b>○</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value</b> <b>VAT Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++UltimateShipToTradeParty ++++SpecifiedTaxRegistration +++++ID Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>○</b> <b>○</b> Profile: <b>EXTENDED only</b>
required	<u>schemeID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ShipFromTradeParty</b>	<b>Identification of the alternative ship from</b> Status: <b>○</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of the ship from, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++ID Example: <b>SF123456</b> Status: <b>○</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty +++++GlobalID Synonym: <b>GLN, DUNS, BIC, ODETTE, ...</b> Example: <b>GENODED1SPK, 4000001000005</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
required	<u>schemeID</u>	Type of global identifier Example: <b>0021, 0088, 0060, 0177</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of the ship from, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++Name Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++DefinedTradeContact +++++PersonName Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++DefinedTradeContact +++++DepartmentName Example: <b>Accounting</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication +++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication +++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>LURIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++LURIID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++PostalTradeAddress +++++PostcodeCode Example: <b>69876</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++PostalTradeAddress +++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: <b>Kundenstraße 15</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++PostalTradeAddress +++++LineTwo Example: <b>3. Etage rechts</b> Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++PostalTradeAddress +++++CityName Example: <b>Frankfurt</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++PostalTradeAddress +++++ISO_ISOTwoletterCountryCode_SecondEdition 2006.TXT Example: <b>DE</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Details on tax registration</b> Status: <b>○</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value VAT Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ShipFromTradeParty ++++SpecifiedTaxRegistration +++++ID Example: <b>201/113/40209</b> <b>DE234567891</b> Status: <b>○</b> <b>○</b> Profile: <b>EXTENDED only</b>
required ..	<u>schemeID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ActualDeliverySupplyChainEvent</b>	<b>Details on actual delivery</b> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>OccurrenceDateTime</b>	<b>Actual date of delivery of goods/provision of services</b> Status: <b>D</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>DateTimeString</b> extension (xsd:string)	<b>Actual date of delivery of goods/provision of services, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++ActualDeliverySupplyChainEvent ++++OccurrenceDateTime +++++DateTimeString Synonym: <i>Actual date of delivery of goods/provision of services for VAT purposes</i> Remark: Indicating either here for the entire bill, or alternatively for each line item Profile: <b>BASIC and upwards</b>
required ..	<u>format</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>DespatchAdviceReferencedDocument</b>	<b>Details on referenced despatch advice</b> Status: <b>○</b>
1 .. 1	<b>xsd:sequence</b>	



Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++DespatchAdviceReferencedDocument ++++IssueDateTime	<b>Date of despatch advice, value</b> Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++DespatchAdviceReferencedDocument ++++ID Remark: Assigned by creator of the document. Example: <b>R</b> Profile: <b>EXTENDED only</b>	<b>Despatch advice number, value</b> Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DeliveryNoteReferencedDocument</b> Status: <b>O</b>	<b>Details on referenced delivery note</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++DeliveryNoteReferencedDocument ++++IssueDateTime	<b>Delivery note date, value</b> Status: <b>O</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>ID</b> udt:IDType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeDelivery +++DeliveryNoteReferencedDocument ++++ID Status: <b>R</b> Profile: <b>COMFORT and upwards</b>	<b>Delivery note identifier, value</b>
1 .. 1	<b>ApplicableSupplyChainTradeSettlement</b> Status: <b>R</b>	<b>Grouping on settlement information</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PaymentReference</b> udt:TextType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PaymentReference Synonym: <i>Transaction number</i> Remark: The simplest case, could be to use the invoice number. Note: If the payment reference in SEPA credit transfers and direct debits are given, only the corresponding SEPA character set is allowed to be used. Status: <b>A</b> Profile: <b>BASIC and upwards</b>	<b>Payment reference, value</b>
1 .. 1	<b>InvoiceCurrencyCode</b> udt:CodeType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceCurrencyCode Status: <b>R</b> Profile: <b>BASIC and upwards</b>	<b>Invoice currency code, value</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>InvoiceeTradeParty</b>	<b>Details on the alternative invoicee</b> Status: <span style="color: red;">○</span>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of the alternative invoicee, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++ID Example: <span style="color: green;">IN123456</span> Status: <span style="color: red;">○</span> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++GlobalID Synonym: <i>GLN, DUNS, BIC, ODETTE, ...</i> Example: <span style="color: green;">GENODED1SPK, 4000001000005</span> Status: <span style="color: red;">A</span> Profile: <b>COMFORT and upwards</b>
required ..	<b>schemeID</b>	Type of global identifier Example: <span style="color: green;">0021, 0088, 0060, 0177</span> Status: <span style="color: red;">R</span> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of the alternative invoicee, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++Name Status: <span style="color: red;">R</span> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: <span style="color: red;">○</span>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++DefinedTradeContact +++++PersonName Status: <span style="color: red;">D</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++DefinedTradeContact +++++DepartmentName Example: <span style="color: green;">Accounting</span> Status: <span style="color: red;">D</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b> Status: <span style="color: red;">○</span>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<ul style="list-style-type: none"> <li>└ CompleteNumber udt:TextType</li> </ul>	<p><b>Phone number, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication ++++++CompleteNumber</p> <p>Status: <b>R</b> Profile: <b>EXTENDED only</b></p>
0 .. 1	<ul style="list-style-type: none"> <li>└ FaxUniversalCommunication</li> </ul>	<p><b>Details of the fax number</b></p> <p>Status: <b>O</b></p>
1 .. 1	<ul style="list-style-type: none"> <li>└ xsd:sequence</li> </ul>	
1 .. 1	<ul style="list-style-type: none"> <li>└ CompleteNumber udt:TextType</li> </ul>	<p><b>Fax number, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication ++++++CompleteNumber</p> <p>Status: <b>R</b> Profile: <b>EXTENDED only</b></p>
0 .. 1	<ul style="list-style-type: none"> <li>└ EmailURIUniversalCommunication</li> </ul>	<p><b>Details on email</b></p> <p>Status: <b>O</b></p>
1 .. 1	<ul style="list-style-type: none"> <li>└ xsd:sequence</li> </ul>	
1 .. 1	<ul style="list-style-type: none"> <li>└ URIID udt:IDType</li> </ul>	<p><b>Email, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++URIID</p> <p>Status: <b>R</b> Profile: <b>EXTENDED only</b></p>
0 .. 1	<ul style="list-style-type: none"> <li>└ PostalTradeAddress</li> </ul>	<p><b>Details on address</b></p> <p>Status: <b>A</b></p>
1 .. 1	<ul style="list-style-type: none"> <li>└ xsd:sequence</li> </ul>	
0 .. 1	<ul style="list-style-type: none"> <li>└ PostcodeCode udt:CodeType</li> </ul>	<p><b>Postcode, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++PostalTradeAddress +++++PostcodeCode</p> <p>Example: <b>69876</b></p> <p>Status: <b>A</b> Profile: <b>COMFORT and upwards</b></p>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++PostalTradeAddress +++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: <a href="#">Kundenstraße 15</a> Status: <b>A</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++PostalTradeAddress +++++LineTwo Example: <a href="#">3. Etage rechts</a> Status: <b>O</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++PostalTradeAddress +++++CityName Example: <a href="#">Frankfurt</a> Status: <b>A</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++PostalTradeAddress +++++ISO_ISOtwoletterCountryCode_SecondEdition 2006.TXT Example: <a href="#">DE</a> Status: <b>A</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Details on tax registration</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value</b> <b>VAT Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++InvoiceeTradeParty ++++SpecifiedTaxRegistration +++++ID Example: <a href="#">201/113/40209</a> <a href="#">DE234567891</a> Status: <b>O</b> <b>O</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
required ..	<u>schemaID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: FC, VA Status: R Profile: COMFORT and upwards
0 .. 1	<b>PayeeTradeParty</b>	<b>Details on alternative payee</b> Status: O
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of the alternative payee, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++ID Status: O Profile: EXTENDED only
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++GlobalID Synonym: GLN, DUNS, BIC, ODETTE, ... Example: GENODED1SPK, 4000001000005 Status: A Profile: EXTENDED only
required ..	<u>schemaID</u>	Type of global identifier Example: 0021, 0088, 0060, 0177 Status: R Profile: EXTENDED only
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of the alternative payee, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++Name Status: R Profile: EXTENDED only
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: O
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++DefinedTradeContact +++++PersonName Status: D Profile: EXTENDED only
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++DefinedTradeContact +++++DepartmentName Example: Accounting Status: D Profile: EXTENDED only

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++DefinedTradeContact +++++TelephoneUniversalCommunication ++++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++DefinedTradeContact +++++FaxUniversalCommunication ++++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>URIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++DefinedTradeContact +++++EmailURIUniversalCommunication ++++++URIID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++PostalTradeAddress +++++PostcodeCode Example: <b>69876</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++PostalTradeAddress +++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: <a href="#">Kundenstraße 15</a> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++PostalTradeAddress +++++LineTwo Example: <a href="#">3. Etage rechts</a> Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++PostalTradeAddress +++++CityName Example: <a href="#">Frankfurt</a> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++PostalTradeAddress +++++ISO_ISOtwoletterCountryCode_SecondEdition 2006.TXT Example: <a href="#">DE</a> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Details on tax registration</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value</b> <b>VAT Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++PayeeTradeParty ++++SpecifiedTaxRegistration +++++ID Example: <a href="#">201/113/40209</a> <a href="#">DE234567891</a> Status: <b>O</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
required ..	<u>⌋</u> <u>schemaID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: FC, VA Status: R Profile: EXTENDED only
0 .. unbounded	<b>SpecifiedTradeSettlementPaymentMeans</b>	<b>Details on payment means</b> Status: O
1 .. 1	<u>xsd:sequence</u>	
0 .. 1	<b>TypeCode</b> qdt:PaymentMeansCodeType	<b>Payment means type (code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++TypeCode Remark: Cash, Credit card, ... Example: 10 Status: A Profile: COMFORT and upwards
0 .. unbounded	<b>Information</b> udt:TextType	<b>Free text information on payment means, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++Information Remark: Cash, Credit card, ... Free text information required, if code is used Status: D Profile: COMFORT and upwards
0 .. 1	<b>ID</b> udt:IDType	<b>Mandate reference, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++ID Remark: Specification only for SEPA direct debit Status: D Profile: BASIC and upwards
required ..	<u>⌋</u> <u>schemaAgencyID</u>	Creditor identification, value Remark: Specification only for SEPA direct debit Status: R Profile: BASIC and upwards
0 .. 1	<b>PayerPartyDebtorFinancialAccount</b>	<b>Buyer's financial account</b> Status: D
1 .. 1	<u>xsd:sequence</u>	
0 .. 1	<b>IBANID</b> udt:IDType	<b>IBAN, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayerPartyDebtorFinancialAccount +++++IBANID Remark: Must be stated with direct debit Status: D Profile: COMFORT and upwards



Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>ProprietaryID</b> udt:IDType	<b>Account number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayerPartyDebtorFinancialAccount +++++ProprietaryID Remark: Obsolete since SEPA. Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>PayeePartyCreditorFinancial Account</b>	<b>Seller's bank account</b> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IBANID</b> udt:IDType	<b>IBAN, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayeePartyCreditorFinancialAccount +++++IBANID Status: <b>D</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>AccountName</b> udt:TextType	<b>Financial account name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayeePartyCreditorFinancialAccount +++++AccountName Remark: Only required if different to payee / seller. Status: <b>D</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>ProprietaryID</b> udt:IDType	<b>Financial account identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayeePartyCreditorFinancialAccount +++++ProprietaryID Remark: Obsolete since SEPA. Status: <b>D</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>PayerSpecifiedDebtorFinancialInstitution</b>	<b>Buyer's financial institution</b> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>BICID</b> udt:IDType	<b>BIC, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayerSpecifiedDebtorFinancialInstitution +++++BICID Remark: Only for direct debit. Status: <b>D</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>GermanBankleitzahlID</b> udt:IDType	<b>German bank code, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayerSpecifiedDebtorFinancialInstitution +++++GermanBankleitzahlID  Remark: Obsolete since SEPA. Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>Name</b> udt:TextType	<b>Name of financial institution, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayerSpecifiedDebtorFinancialInstitution +++++Name  Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>PayeeSpecifiedCreditorFinancialInstitution</b>	<b>Seller's financial institution</b>  Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>BICID</b> udt:IDType	<b>BIC, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayeeSpecifiedCreditorFinancialInstitution +++++BICID  Status: <b>D</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>GermanBankleitzahlID</b> udt:IDType	<b>German bank code, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayeeSpecifiedCreditorFinancialInstitution +++++GermanBankleitzahlID  Remark: Obsolete since SEPA Status: <b>D</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>Name</b> udt:TextType	<b>Bank name, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementPaymentMeans ++++PayeeSpecifiedCreditorFinancialInstitution +++++Name  Remark: Obsolete since SEPA. Status: <b>D</b> Profile: <b>BASIC and upwards</b>
0 .. unbounded	<b>ApplicableTradeTax</b>	<b>Details on trade tax</b>  Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>CalculatedAmount</b> udt:AmountType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++CalculatedAmount Status: <b>R</b> Profile: <b>BASIC and upwards</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<b>TypeCode</b> qdt:TaxTypeCodeType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++TypeCode Example: <b>VAT</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b> <b>Tax type (code), value</b>
0 .. 1	<b>ExemptionReason</b> udt:TextType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++ExemptionReason Status: <b>D</b> Profile: <b>COMFORT and upwards</b> <b>Exemption reason (free text), value</b>
1 .. 1	<b>BasisAmount</b> udt:AmountType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++BasisAmount Status: <b>R</b> Profile: <b>BASIC and upwards</b> <b>Tax base amount, value</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>LineTotalBasisAmount</b> udt:AmountType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++LineTotalBasisAmount Status: <b>D</b> Profile: <b>EXTENDED only</b> <b>Goods amount for tax rate, value</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>AllowanceChargeBasisAmount</b> udt:AmountType	<b>Total tax rate allowances and charges, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++AllowanceChargeBasisAmount Status: <b>D</b> Profile: <b>EXTENDED only</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CategoryCode</b> qdt:TaxCategoryCodeType	<b>Tax category, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++CategoryCode Remark: Identification of exceptions, S = default Example: <b>S</b> Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>ApplicablePercent</b> udt:PercentType	<b>Tax rate percentage, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ApplicableTradeTax ++++ApplicablePercent Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>BillingSpecifiedPeriod</b>	<b>Details on billing specified period</b> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>StartDateTime</b>	<b>Start of the billing period</b> Status: <b>R</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>DateTimeString</b> extension (xsd:string)	<b>Start of the billing period, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++BillingSpecifiedPeriod ++++StartDateTime +++++DateTimeString Profile: <b>COMFORT and upwards</b>
required ..	<u>format</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>EndDateTime</b>	<b>End of billing period</b> Status: <b>R</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>DateTimeString</b> extension (xsd:string)	<b>End of billing period, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++BillingSpecifiedPeriod ++++EndDateTime +++++DateTimeString Profile: <b>COMFORT and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
required ..	<u>format</u>	Date, format Example: 102 Status: R Profile: COMFORT and upwards
0 .. unbounded	<b>SpecifiedTradeAllowanceCharge</b>	<b>Details on allowances and charges</b> Status: D
1 .. 1	<u>xsd:sequence</u>	
1 .. 1	<b>ChargeIndicator</b>	<b>Charge indicator</b> Status: R
1 .. 1	<u>xsd:choice</u>	
1 .. 1	<b>Indicator</b> xs:boolean	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++ChargeIndicator ++++Indicator
0 .. 1	<b>SequenceNumeric</b> udt:NumericType	<b>Calculation sequence, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++SequenceNumeric Remark: Up to level COMFORT only the final result of the calculation is given. Example: 1 Status: O Profile: EXTENDED only
0 .. 1	<b>CalculationPercent</b> udt:PercentType	<b>Allowance Charge Percent, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++CalculationPercent Remark: Up to level COMFORT only the final result of the calculation is given. (Actual.Amount) Status: O Profile: EXTENDED only
0 .. 1	<b>BasisAmount</b> udt:AmountType	<b>Base amount of allowance or charge</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++BasisAmount Status: O Profile: EXTENDED only
required ..	<u>currencyID</u>	Currency Example: EUR Status: R Profile: EXTENDED only
0 .. 1	<b>BasisQuantity</b> udt:QuantityType	<b>Base quantity of allowance or charge, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++BasisQuantity Status: O Profile: EXTENDED only
required ..	<u>unitCode</u>	Price base quantity unit Status: R Profile: EXTENDED only

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>ActualAmount</b> udt:AmountType	<b>Allowance or charge base amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++ActualAmount Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>ReasonCode</b> qdt:AllowanceChargeReasonCodeType	<b>Reason for allowance or charge (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++ReasonCode Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Reason</b> udt:TextType	<b>Reason for allowance or charge (free text), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++Reason Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>CategoryTradeTax</b>	<b>Details of tax information</b> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>TypeCode</b> qdt:TaxTypeCodeType	<b>Tax type (code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++CategoryTradeTax +++++TypeCode Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>CategoryCode</b> qdt:TaxCategoryCodeType	<b>Tax category, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++CategoryTradeTax +++++CategoryCode Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>ApplicablePercent</b> udt:PercentType	<b>Tax rate percentage, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeAllowanceCharge ++++CategoryTradeTax +++++ApplicablePercent Status: <b>R</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. unbounded	<b>SpecifiedLogisticsServiceCharge</b>	<b>Details on logistics service charges</b> Synonym: <i>Transport and packaging costs</i> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. unbounded	<b>Description</b> udt:TextType	<b>Service charge ID, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedLogisticsServiceCharge ++++Description Example: <i>Shipping and packaging costs</i> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>AppliedAmount</b> udt:AmountType	<b>Service charge amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedLogisticsServiceCharge ++++AppliedAmount Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
required ..	<b>currencyID</b>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>AppliedTradeTax</b>	<b>Details on taxes</b> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>TypeCode</b> qdt:TaxTypeCodeType	<b>Tax type (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedLogisticsServiceCharge ++++AppliedTradeTax +++++TypeCode Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>CategoryCode</b> qdt:TaxCategoryCodeType	<b>Tax category, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedLogisticsServiceCharge ++++AppliedTradeTax +++++CategoryCode Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>ApplicablePercent</b> udt:PercentType	<b>Tax percentage, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedLogisticsServiceCharge ++++AppliedTradeTax +++++ApplicablePercent Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>SpecifiedTradePaymentTerms</b>	<b>Details on payment terms</b> Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
1 .. unbounded	<b>Description</b> udt:TextType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++Description Status: <b>R</b> Profile: <b>COMFORT and upwards</b>	<b>Free text on payment terms, value</b>
0 .. 1	<b>DueDateDateTime</b> Status: <b>O</b>	<b>Due date</b>
1 .. 1	<b>xsd:choice</b> <b>DateTimeString</b> extension (xsd:string) Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++DueDateDateTime +++++DateTimeString Profile: <b>COMFORT and upwards</b>	<b>Due date, value</b>
required ..	<u>format</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>PartialPaymentAmount</b> udt:AmountType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++PartialPaymentAmount Status: <b>O</b> Profile: <b>EXTENDED only</b>	<b>Partial payment amount, value</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ApplicableTradePaymentPenaltyTerms</b> Status: <b>O</b>	<b>Detail of payment penalties</b>
1 .. 1	<b>xsd:sequence</b> <b>BasisDateTime</b> Status: <b>O</b>	<b>Reference date for when the payment is due</b>
1 .. 1	<b>xsd:choice</b> <b>DateTimeString</b> extension (xsd:string) Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentPenaltyTerms +++++BasisDateTime ++++++DateTimeString Profile: <b>EXTENDED only</b>	<b>Reference date for when the payment is due, value</b>
required ..	<u>format</u>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>



Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>BasisPeriodMeasure</b> udt:MeasureType	<b>Basis period, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentPenaltyTerms +++++BasisPeriodMeasure Status: <span style="color:red">○</span> Profile: <b>EXTENDED only</b>
required ..	<u>unitCode</u>	Due date period, unit Example: <span style="color:green">DAY</span> Status: <span style="color:red">R</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>BasisAmount</b> udt:AmountType	<b>Base amount for payment penalty, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentPenaltyTerms +++++BasisAmount Status: <span style="color:red">○</span> Profile: <b>EXTENDED only</b>
required ..	<u>currencyID</u>	Currency Example: <span style="color:green">EUR</span> Status: <span style="color:red">R</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CalculationPercent</b> udt:PercentType	<b>Payment penalty percentage, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentPenaltyTerms +++++CalculationPercent Status: <span style="color:red">○</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ActualPenaltyAmount</b> udt:AmountType	<b>Payment penalty amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentPenaltyTerms +++++ActualPenaltyAmount Status: <span style="color:red">○</span> Profile: <b>EXTENDED only</b>
required ..	<u>currencyID</u>	Currency Example: <span style="color:green">EUR</span> Status: <span style="color:red">R</span> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>ApplicableTradePaymentDiscountTerms</b>	<b>Details on payment discounts</b> Status: <span style="color:red">○</span>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>BasisDateTime</b>	<b>Reference date for when the payment is due</b> Status: <span style="color:red">○</span>
1 .. 1	<b>xsd:choice</b>	

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>DateTimeString</b> extension (xsd:string) <u>format</u>	<b>Reference date for when the payment is due, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentDiscountTerms +++++BasisDateTime +++++DateTimeString Profile: <b>EXTENDED only</b> Date, format Example: 102 Status: R Profile: <b>EXTENDED only</b>
required ..		
0 .. 1	<b>BasisPeriodMeasure</b> udt:MeasureType <u>unitCode</u>	<b>Due date period, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentDiscountTerms +++++BasisPeriodMeasure Example: 10 Status: O Profile: <b>EXTENDED only</b> Due date period, unit Example: DAY Status: R Profile: <b>EXTENDED only</b>
required ..		
0 .. 1	<b>BasisAmount</b> udt:AmountType <u>currencyID</u>	<b>Base amount for payment discounts, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentDiscountTerms +++++BasisAmount Status: O Profile: <b>EXTENDED only</b> Currency Example: EUR Status: R Profile: <b>EXTENDED only</b>
required ..		
0 .. 1	<b>CalculationPercent</b> udt:PercentType	<b>Payment discount percentage, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentDiscountTerms +++++CalculationPercent Status: O Profile: <b>EXTENDED only</b>
0 .. 1	<b>ActualDiscountAmount</b> udt:AmountType	<b>Payment discount amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradePaymentTerms ++++ApplicableTradePaymentDiscountTerms +++++ActualDiscountAmount Status: O Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
required ..	<u>currencyID</u>	Currency Example: EUR Status: R Profile: EXTENDED only
1 .. 1	<b>SpecifiedTradeSettlementMonetarySummation</b>	<b>Details of document totals</b> Status: R
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>LineTotalAmount</b> udt:AmountType	<b>Line total amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++LineTotalAmount Remark: Net amount Status: R Profile: BASIC and upwards
required ..	<u>currencyID</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<b>ChargeTotalAmount</b> udt:AmountType	<b>Charge total amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++ChargeTotalAmount Remark: Net amount Status: R Profile: BASIC and upwards
required ..	<u>currencyID</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<b>AllowanceTotalAmount</b> udt:AmountType	<b>Allowance total amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++AllowanceTotalAmount Remark: Net amount Status: R Profile: BASIC and upwards
required ..	<u>currencyID</u>	Currency Example: EUR Status: R Profile: BASIC and upwards
1 .. 1	<b>TaxBasisTotalAmount</b> udt:AmountType	<b>Tax basis total amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++TaxBasisTotalAmount Remark: Sum of line total amount + charge totals - allowance totals Status: R Profile: BASIC and upwards
required ..	<u>currencyID</u>	Currency Example: EUR Status: R Profile: BASIC and upwards

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>TaxTotalAmount</b> udt:AmountType	<b>Tax total amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++TaxTotalAmount Status: <b>R</b> Profile: <b>BASIC and upwards</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
1 .. 1	<b>GrandTotalAmount</b> udt:AmountType	<b>Grand total, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++GrandTotalAmount Status: <b>R</b> Profile: <b>BASIC and upwards</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>TotalPrepaidAmount</b> udt:AmountType	<b>Total prepaid amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++TotalPrepaidAmount Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>DuePayableAmount</b> udt:AmountType	<b>Due payable amount, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++SpecifiedTradeSettlementMonetarySummation ++++DuePayableAmount Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>ReceivableSpecifiedTradeAccountingAccount</b>	<b>Details of booking reference</b> Status: <b>O</b>
1 .. 1	<u>xsd:sequence</u>	
1 .. 1	<b>ID</b> udt:IDType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++ApplicableSupplyChainTradeSettlement +++ReceivableSpecifiedTradeAccountingAccount ++++ID Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
1 .. unbounded	IncludedSupplyChainTradeLineItem	Grouping of item information Status: <b>R</b>
1 .. 1	xsd:sequence	
1 .. 1	AssociatedDocumentLineDocument	Grouping of general information Status: <b>R</b>
1 .. 1	xsd:sequence	
0 .. 1	LineID udt:IDType	Line number, value Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++AssociatedDocumentLineDocument ++++LineID Status: <b>A</b> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	IncludedNote	Details of free text relating to the item Status: <b>O</b>
1 .. 1	xsd:sequence	
0 .. 1	ContentCode udt:CodeType	Free text (Content code), value Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++AssociatedDocumentLineDocument ++++IncludedNote +++++ContentCode Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. unbounded	Content udt:TextType	Free text, value Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++AssociatedDocumentLineDocument ++++IncludedNote +++++Content Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	SubjectCode udt:CodeType	Free text (subject code), value Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++AssociatedDocumentLineDocument ++++IncludedNote +++++SubjectCode Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	SpecifiedSupplyChainTradeAgreement	Grouping of agreement information Status: <b>A</b>
1 .. 1	xsd:sequence	
0 .. 1	BuyerOrderReferencedDocument	Details on referenced order Status: <b>O</b>
1 .. 1	xsd:sequence	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Order date, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++BuyerOrderReferencedDocument +++++IssueDateTime Status: <span style="color: red;">O</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineID</b> udt:IDType	<b>Item number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++BuyerOrderReferencedDocument +++++LineID Status: <span style="color: red;">O</span> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Order Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++BuyerOrderReferencedDocument +++++ID Status: <span style="color: red;">R</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ContractReferencedDocument</b>	<b>Details on referenced contract</b> Status: <span style="color: red;">O</span>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Contract date, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++ContractReferencedDocument +++++IssueDateTime Status: <span style="color: red;">O</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineID</b> udt:IDType	<b>Item number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++ContractReferencedDocument +++++LineID Status: <span style="color: red;">O</span> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Contract Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++ContractReferencedDocument +++++ID Status: <span style="color: red;">R</span> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. unbounded	<b>AdditionalReferencedDocument</b>	<b>Details on additional document references</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Document date, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++AdditionalReferencedDocument +++++IssueDateTime Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineID</b> udt:IDType	<b>Item number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++AdditionalReferencedDocument +++++LineID Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Document Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++AdditionalReferencedDocument +++++ID Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ReferenceTypeCode</b> qdt:ReferenceCodeType	<b>Document type, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++AdditionalReferencedDocument +++++ReferenceTypeCode Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>GrossPriceProductTradePrice</b>	<b>Details on gross price excluding taxes</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>ChargeAmount</b> udt:AmountType	<b>Gross price, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++GrossPriceProductTradePrice +++++ChargeAmount Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
required ..	<b>currencyID</b>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>BasisQuantity</b> udt:QuantityType	<b>Price base quantity, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++GrossPriceProductTradePrice +++++BasisQuantity Example: 1, 10, 100 Status: <span style="color:red">O</span> Profile: <b>COMFORT and upwards</b>
required ..	<u>unitCode</u>	Price base quantity unit Status: <span style="color:red">R</span> Profile: <b>COMFORT and upwards</b>
0 .. unbounded	<b>AppliedTradeAllowanceCharge</b>	<b>Details on allowances and charges</b> Status: <span style="color:red">O</span>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>ChargeIndicator</b>	<b>Charge indicator</b> Status: <span style="color:red">R</span>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>Indicator</b> xs:boolean	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++GrossPriceProductTradePrice +++++AppliedTradeAllowanceCharge ++++++ChargeIndicator +++++++Indicator
0 .. 1	<b>SequenceNumeric</b> udt:NumericType	<b>Calculation sequence, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++GrossPriceProductTradePrice +++++AppliedTradeAllowanceCharge ++++++SequenceNumeric Remark: Up to level COMFORT only the calculation result is given. Example: 1 Status: <span style="color:red">O</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CalculationPercent</b> udt:PercentType	<b>Allowance charge percent, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++GrossPriceProductTradePrice +++++AppliedTradeAllowanceCharge ++++++CalculationPercent Remark: Up to level COMFORT only the calculation result is given (Actual.Amount). Status: <span style="color:red">O</span> Profile: <b>EXTENDED only</b>



Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>BasisAmount</b> udt:AmountType	<p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeAgreement            ++++GrossPriceProductTradePrice            +++++AppliedTradeAllowanceCharge            ++++++BasisAmount</p> <p>Status: <b>O</b>            Profile: <b>EXTENDED only</b></p>
required ..	<u>currencyID</u>	<p>Currency            Example: <b>EUR</b>            Status: <b>R</b>            Profile: <b>EXTENDED only</b></p>
0 .. 1	<b>BasisQuantity</b> udt:QuantityType	<p><b>Base quantity for allowances and charges, value</b></p> <p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeAgreement            ++++GrossPriceProductTradePrice            +++++AppliedTradeAllowanceCharge            ++++++BasisQuantity</p> <p>Status: <b>O</b>            Profile: <b>EXTENDED only</b></p>
required ..	<u>unitCode</u>	<p>Price base quantity unit            Status: <b>R</b>            Profile: <b>EXTENDED only</b></p>
1 .. 1	<b>ActualAmount</b> udt:AmountType	<p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeAgreement            ++++GrossPriceProductTradePrice            +++++AppliedTradeAllowanceCharge            ++++++ActualAmount</p> <p>Status: <b>R</b>            Profile: <b>COMFORT and upwards</b></p>
required ..	<u>currencyID</u>	<p>Currency            Example: <b>EUR</b>            Status: <b>R</b>            Profile: <b>COMFORT and upwards</b></p>
0 .. 1	<b>ReasonCode</b> qdt:AllowanceChargeReasonCodeType	<p><b>Reason for allowance or charge (Code), value</b></p> <p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeAgreement            ++++GrossPriceProductTradePrice            +++++AppliedTradeAllowanceCharge            ++++++ReasonCode</p> <p>Remark: If Reason.Code is just, Reason.Text must be used as well.</p> <p>Status: <b>O</b>            Profile: <b>EXTENDED only</b></p>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>Reason</b> udt:TextType	<b>Reason for allowance or charge (free text), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++GrossPriceProductTradePrice +++++AppliedTradeAllowanceCharge ++++++Reason Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>NetPriceProductTradePrice</b>	<b>Details on net price without tax</b> Remark: The net prices included all allowances and charges, but no taxes. Status: <b>A</b>
1 .. 1	<b>ChargeAmount</b> udt:AmountType	<b>Net price, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++NetPriceProductTradePrice +++++ChargeAmount Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>BasisQuantity</b> udt:QuantityType	<b>Price base quantity, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++NetPriceProductTradePrice +++++BasisQuantity Example: <b>1, 10, 100</b> Status: <b>O</b> Profile: <b>COMFORT and upwards</b>
required ..	<u>unitCode</u>	Unit of price base quantity Example: <b>C62</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>CustomerOrderReferencedDocument</b>	<b>Details on referenced customer order document</b> Status: <b>O</b>
1 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Oder date, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++CustomerOrderReferencedDocument +++++IssueDateTime Status: <b>O</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>LineID</b> udt:IDType	<b>Item number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++CustomerOrderReferencedDocument +++++LineID Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Order number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeAgreement ++++CustomerOrderReferencedDocument +++++ID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>SpecifiedSupplyChainTradeDelivery</b>	<b>Grouping on delivery information</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>BilledQuantity</b> udt:QuantityType	<b>Billed quantity, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++BilledQuantity Status: <b>R</b> Profile: <b>BASIC and upwards</b>
required ..	<u>unitCode</u>	Measurement unit Example: <b>C62</b> Status: <b>R</b> Profile: <b>BASIC and upwards</b>
0 .. 1	<b>ChargeFreeQuantity</b> udt:QuantityType	<b>Charge free quantity, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ChargeFreeQuantity Status: <b>O</b> Profile: <b>EXTENDED only</b>
required ..	<u>unitCode</u>	Measurement unit Example: <b>C62</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PackageQuantity</b> udt:QuantityType	<b>Package quantity, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++PackageQuantity Status: <b>O</b> Profile: <b>EXTENDED only</b>
required ..	<u>unitCode</u>	Measurement unit Example: <b>BX</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ShipToTradeParty</b>	<b>Details on the alternative ship to</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++ID Example: <a href="#">TO123456</a> Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++GlobalID Synonym: <i>GLN, DUNS, BIC, ODETTE, ...</i> Example: <a href="#">GENODED1SPK, 4000001000005</a> Status: <b>A</b> Profile: <b>EXTENDED only</b>
required ..	<u>schemeID</u>	Type of global identifier Example: <a href="#">0021, 0088, 0060, 0177</a> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++Name Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++DefinedTradeContact ++++++PersonName Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++DefinedTradeContact ++++++DepartmentName Example: <a href="#">Accounting</a> Status: <b>D</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Department name, value</b> Example: <b>Accounting</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++DefinedTradeContact ++++++TelephoneUniversalCommunication +++++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++DefinedTradeContact ++++++FaxUniversalCommunication +++++++CompleteNumber Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>URIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++DefinedTradeContact ++++++EmailURIUniversalCommunication +++++++URIID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++PostalTradeAddress ++++++PostcodeCode Example: <b>69876</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++PostalTradeAddress ++++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: <a href="#">Kundenstraße 15</a> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++PostalTradeAddress ++++++LineTwo Example: <a href="#">3. Etage rechts</a> Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++PostalTradeAddress ++++++CityName Example: <a href="#">Frankfurt</a> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CountryID</b> qdt:CountryIDType	<b>Country (Code), value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++PostalTradeAddress ++++++ISO_ISOTwoletterCountryCode_SecondEdition2006.TXT Example: <a href="#">DE</a> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>SpecifiedTaxRegistration</b>	<b>Details on tax registration</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>ID</b> udt:IDType	<b>(Local) tax Id, value VAT Id, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ShipToTradeParty +++++SpecifiedTaxRegistration +++++ID Example: 201/113/40209 DE234567891 Status: <b>O</b> Profile: <b>EXTENDED only</b>
required	<u>schemeID</u>	Type of tax identifier Synonym: tax Id, VAT Id Example: <b>FC, VA</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>UltimateShipToTradeParty</b>	<b>Details of the alternative ultimate ship to</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>ID</b> udt:IDType	<b>Identification of ultimate ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++ID Example: U123456 Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++GlobalID Synonym: <i>GLN, DUNS, BIC, ODETTE, ...</i> Example: GENODED1SPK, 4000001000005 Status: <b>A</b> Profile: <b>EXTENDED only</b>
required	<u>schemeID</u>	Type of global identifier Example: 0021, 0088, 0060, 0177 Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>Name</b> udt:TextType	<b>(Company) name of the ultimate ship to, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++Name Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DefinedTradeContact</b>	<b>Details of the contact person</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>PersonName</b> udt:TextType	<b>Contact person name, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++DefinedTradeContact ++++++PersonName  Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>DepartmentName</b> udt:TextType	<b>Department name, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++DefinedTradeContact ++++++DepartmentName  Example: <b>Accounting</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>TelephoneUniversalCommunication</b>	<b>Details of the phone number</b>  Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Phone number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++DefinedTradeContact ++++++TelephoneUniversalCommunication ++++++CompleteNumber  Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>FaxUniversalCommunication</b>	<b>Details of the fax number</b>  Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>CompleteNumber</b> udt:TextType	<b>Fax number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++DefinedTradeContact ++++++FaxUniversalCommunication ++++++CompleteNumber  Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>EmailURIUniversalCommunication</b>	<b>Details on email</b>  Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	



Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>URIID</b> udt:IDType	<b>Email, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++DefinedTradeContact ++++++EmailURIUniversalCommunication ++++++URIID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>PostalTradeAddress</b>	<b>Details on address</b> Status: <b>A</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>PostcodeCode</b> udt:CodeType	<b>Postcode, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++PostalTradeAddress ++++++PostcodeCode Example: <b>69876</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineOne</b> udt:TextType	<b>Line one, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++PostalTradeAddress ++++++LineOne Remark: Indication of street or postal box. For addresses indicating the postcode and locality, "-" must be entered. Example: <b>Kundenstraße 15</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineTwo</b> udt:TextType	<b>Line two, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++PostalTradeAddress ++++++LineTwo Example: <b>3. Etage rechts</b> Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>CityName</b> udt:TextType	<b>City, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++PostalTradeAddress ++++++CityName Example: <b>Frankfurt</b> Status: <b>A</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<p><b>CountryID</b> qdt:CountryIDType</p>	<p><b>Country (Code), value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++PostalTradeAddress ++++++ISO_ISOTwoletterCountryCode_SecondEdition2006.TXT</p> <p>Example: DE Status: A Profile: EXTENDED only</p>
0 .. unbounded	<p><b>SpecifiedTaxRegistration</b></p>	<p><b>Details on tax registration</b></p> <p>Status: O</p>
1 .. 1	<p><b>xsd:sequence</b></p>	
0 .. 1	<p><b>ID</b> udt:IDType</p>	<p><b>(Local) tax Id, value VAT Id, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++UltimateShipToTradeParty +++++SpecifiedTaxRegistration ++++++ID</p> <p>Example: 201/113/40209 DE234567891</p> <p>Status: O O</p> <p>Profile: EXTENDED only</p>
required ..	<p><u>schemeID</u></p>	<p>Type of tax identifier Synonym: tax Id, VAT Id Example: FC, VA Status: R Profile: EXTENDED only</p>
0 .. 1	<p><b>ActualDeliverySupplyChainEvent</b></p>	<p><b>Details on actual delivery</b></p> <p>Status: D</p>
1 .. 1	<p><b>xsd:sequence</b></p>	
0 .. 1	<p><b>OccurrenceDateTime</b></p>	<p><b>Actual date of delivery or date of service provision</b></p> <p>Remark: The actual date of delivery in respect of VAT must be provided on header level</p> <p>Status: D</p>
1 .. 1	<p><b>xsd:choice</b></p>	
1 .. 1	<p><b>DateTimeString</b> extension (xsd:string)</p>	<p><b>Actual date of delivery, value</b></p> <p>Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ActualDeliverySupplyChainEvent +++++OccurrenceDateTime ++++++DateTimeString</p> <p>Profile: EXTENDED only</p> <p>Date, format Example: 102 Status: R Profile: EXTENDED only</p>
required ..	<p><u>format</u></p>	
0 .. 1	<p><b>DespatchAdviceReferencedDocument</b></p>	<p><b>Details on referenced despatch advice</b></p> <p>Status: O</p>
1 .. 1	<p><b>xsd:sequence</b></p>	

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Document date, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++DespatchAdviceReferencedDocument +++++IssueDateTime Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineID</b> udt:IDType	<b>Item number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++DespatchAdviceReferencedDocument +++++LineID Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Despatch advice number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++DespatchAdviceReferencedDocument +++++ID Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>ReceivingAdviceReferenced Document</b>	<b>Details on referenced receiving advice</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Document date, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ReceivingAdviceReferencedDocument +++++IssueDateTime Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineID</b> udt:IDType	<b>Item number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ReceivingAdviceReferencedDocument +++++LineID Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Document number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++ReceivingAdviceReferencedDocument +++++ID Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>DeliveryNoteReferencedDocument</b>	<b>Details on referenced delivery note</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>IssueDateTime</b> qdt:DateMandatoryDateTimeType	<b>Document date, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++DeliveryNoteReferencedDocument +++++IssueDateTime Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>LineID</b> udt:IDType	<b>Item number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++DeliveryNoteReferencedDocument +++++LineID Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>ID</b> udt:IDType	<b>Document number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeDelivery ++++DeliveryNoteReferencedDocument +++++ID Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>SpecifiedSupplyChainTradeSettlement</b>	<b>Grouping on settlement information</b> Status: <b>R</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. unbounded	<b>ApplicableTradeTax</b>	<b>Details on taxes</b> Remark: This section must be used even in the BASIC profile, if the invoice needs to show more than one tax type. Status: <b>D</b>
1 .. 1	<b>xsd:sequence</b>	
0 .. 1	<b>CalculatedAmount</b> udt:AmountType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeSettlement ++++ApplicableTradeTax +++++CalculatedAmount Status: <b>D</b> Profile: <b>EXTENDED only</b>
required ..	<u>currencyID</u>	Currency Example: <b>EUR</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>TypeCode</b> qdt:TaxTypeCodeType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeSettlement ++++ApplicableTradeTax +++++TypeCode	<b>Tax type (Code), value</b> Example: <b>VAT</b> Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>ExemptionReason</b> udt:TextType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeSettlement ++++ApplicableTradeTax +++++ExemptionReason	<b>Exemption reason (free text), value</b> Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>CategoryCode</b> qdt:TaxCategoryCodeType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeSettlement ++++ApplicableTradeTax +++++CategoryCode	<b>Tax category, value</b> Example: <b>S</b> Status: <b>D</b> Profile: <b>COMFORT and upwards</b>
1 .. 1	<b>ApplicablePercent</b> udt:PercentType Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeSettlement ++++ApplicableTradeTax +++++ApplicablePercent	<b>Tax percentage, value</b> Status: <b>R</b> Profile: <b>COMFORT and upwards</b>
0 .. 1	<b>BillingSpecifiedPeriod</b>	<b>Details on billing period</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>StartDateTime</b>	<b>Start of billing period</b> Status: <b>R</b>
1 .. 1	<b>xsd:choice</b>	
1 .. 1	<b>DateTimeString</b> extension (xsd:string) Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedSupplyChainTradeSettlement ++++BillingSpecifiedPeriod +++++StartDateTime +++++DateTimeString	<b>Start of billing period, value</b> Profile: <b>EXTENDED only</b>
required	<b>format</b>	Date, format Example: <b>102</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. 1	<b>EndTimeTime</b>	<b>End of billing period</b> Status: <b>R</b>
1 .. 1	<b>xsd:choice</b>	

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<ul style="list-style-type: none"> <li><b>DateTimeString</b> extension (xsd:string)</li> <li><u>format</u></li> </ul>	<p><b>End of billing period, value</b></p> <p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeSettlement            ++++BillingSpecifiedPeriod            +++++EndDateTime            ++++++DateTimeString</p> <p>Profile: <b>EXTENDED only</b>            Date, format            Example: 102            Status: <b>R</b>            Profile: <b>EXTENDED only</b></p>
required		
..		
0 .. 1	<ul style="list-style-type: none"> <li><b>SpecifiedTradeAccountingAccount</b> <b>count</b></li> </ul>	<p><b>Details of the booking reference</b></p> <p>Status: <b>O</b></p>
1 .. 1	<ul style="list-style-type: none"> <li><b>xsd:sequence</b></li> <li><b>ID</b> udt:IDType</li> </ul>	<p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeSettlement            ++++SpecifiedTradeAccountingAccount            +++++ID</p> <p>Status: <b>R</b>            Profile: <b>EXTENDED only</b></p>
1 .. 1		
0 .. 1	<ul style="list-style-type: none"> <li><b>SpecifiedTradeSettlementMonetarySummation</b></li> </ul>	<p><b>Details on summation</b></p> <p>Remark: If only a text block without pricing is specified, this block can be omitted. Otherwise, it must be indicated.</p> <p>Status: <b>D</b></p>
1 .. 1	<ul style="list-style-type: none"> <li><b>xsd:sequence</b></li> <li><b>LineTotalAmount</b> udt:AmountType</li> </ul>	<p><b>Line total amount, value</b></p> <p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeSettlement            ++++SpecifiedTradeSettlementMonetarySummation            +++++LineTotalAmount</p> <p>Remark: The line total amount is the net amount, including any additions and deductions without specifying the value-added tax.</p> <p>Status: <b>R</b>            Profile: <b>COMFORT and upwards</b></p>
1 .. 1		
required		
..		
0 .. 1	<ul style="list-style-type: none"> <li><u>currencyID</u></li> <li><b>TotalAllowanceChargeAmount</b> udt:AmountType</li> </ul>	<p>Path to element: CrossIndustryDocument            +SpecifiedSupplyChainTradeTransaction            ++IncludedSupplyChainTradeLineItem            +++SpecifiedSupplyChainTradeSettlement            ++++SpecifiedTradeSettlementMonetarySummation            +++++TotalAllowanceChargeAmount</p> <p>Status: <b>D</b>            Profile: <b>EXTENDED only</b></p>

Cardinality	Element/Attribute	Business term / Properties
required ..	<u>currencyID</u>	Currency Example: EUR Status: R Profile: EXTENDED only
0 .. 1	<b>SpecifiedTradeProduct</b>	<b>Grouping of product or service information</b> Status: A
1 .. 1	<u>xsd:sequence</u>	
0 .. 1	<b>GlobalID</b> udt:IDType	<b>Global identifier of the article, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++GlobalID Synonym: GTIN, ... Example: 4000001000005 Status: A Profile: COMFORT and upwards
required ..	<u>schemeID</u>	Type of global trade item number Synonym: GTIN, ... Example: 0160 Status: R Profile: COMFORT and upwards
0 .. 1	<b>SellerAssignedID</b> udt:IDType	<b>Seller's article number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++SellerAssignedID Status: O Profile: COMFORT and upwards
0 .. 1	<b>BuyerAssignedID</b> udt:IDType	<b>Buyer's article number, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++BuyerAssignedID Remark: The identifier of the product is a unique, bilaterally agreed number of the product. It can, for example, be a customer item number or reference to the manufacturers part number. Status: O Profile: COMFORT and upwards
1 .. 1	<b>Name</b> udt:TextType	<b>Article name, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++Name Status: R Profile: BASIC and upwards
0 .. 1	<b>Description</b> udt:TextType	<b>Article description, value</b> Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++Description Status: O Profile: COMFORT and upwards
0 .. unbounded	<b>ApplicableProductCharacteristic</b>	<b>Details on product characteristics</b> Status: O

Cardinality	Element/Attribute	Business term / Properties
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>TypeCode</b> udt:CodeType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++ApplicableProductCharacteristic +++++TypeCode Status: <b>R</b> Profile: <b>EXTENDED only</b>
1 .. unbounded	<b>Description</b> udt:TextType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++ApplicableProductCharacteristic +++++Description Status: <b>R</b> Profile: <b>EXTENDED only</b> <b>Type of product characteristic (free text), value</b>
0 .. 1	<b>ValueMeasure</b> udt:MeasureType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++ApplicableProductCharacteristic +++++ValueMeasure Status: <b>D</b> Profile: <b>EXTENDED only</b> <b>Value of product characteristic (numeric measurement), value</b>
..	<u>unitCode</u>	Measurement unit Example: <b>C62</b> Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. 1	<b>Value</b> udt:TextType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++ApplicableProductCharacteristic +++++Value Status: <b>D</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>DesignatedProductClassification</b>	<b>Details on product classification</b> Status: <b>O</b>
1 .. 1	<b>xsd:sequence</b>	
1 .. 1	<b>ClassCode</b> udt:CodeType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++DesignatedProductClassification +++++ClassCode Status: <b>R</b> Profile: <b>EXTENDED only</b>
required	<u>listID</u>	Product classification name Example: <b>GPC, ECL, UNSPSC</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>



Cardinality	Element/Attribute	Business term / Properties
..	<u>ListVersionID</u>	Version of product classification Example: 2013 Status: <span style="color: red;">O</span> Profile: <b>EXTENDED only</b>
1 .. unbounded	<b>ClassName</b> udt:TextType	<b>Product classification (free text), value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++DesignatedProductClassification +++++ClassName Synonym: <i>Commodity group</i> Example: beer Status: <span style="color: red;">R</span> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>OriginTradeCountry</b>	<b>Details of product origin</b> Status: <span style="color: red;">D</span>
1 .. 1	<u>xsd:sequence</u>	
0 .. 1	<b>ID</b> qdt:CountryIDType	Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++OriginTradeCountry +++++ISO_ISOTwoletterCountryCode_SecondEdition 2006.TXT Status: <span style="color: red;">R</span> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>IncludedReferencedProduct</b>	<b>Details on included products</b> Status: <span style="color: red;">O</span>
1 .. 1	<u>xsd:sequence</u>	
0 .. unbounded	<b>GlobalID</b> udt:IDType	<b>Global identifier of the article, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++IncludedReferencedProduct +++++GlobalID Synonym: <i>GTIN, ...</i> Example: 4000001000005 Status: <span style="color: red;">A</span> Profile: <b>EXTENDED only</b>
required	<u>schemaID</u>	Type of global trade item number Synonym: <i>GTIN, ...</i> Example: 0160 Status: <span style="color: red;">R</span> Profile: <b>EXTENDED only</b>
0 .. 1	<b>SellerAssignedID</b> udt:IDType	<b>Seller's article number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++IncludedReferencedProduct +++++SellerAssignedID Status: <span style="color: red;">O</span> Profile: <b>EXTENDED only</b>

Cardinality	Element/Attribute	Business term / Properties
0 .. 1	<b>BuyerAssignedID</b> udt:IDType	<b>Buyer's article number, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++IncludedReferencedProduct +++++BuyerAssignedID  Status: <b>O</b> Profile: <b>EXTENDED only</b>
1 .. unbounded	<b>Name</b> udt:TextType	<b>Name</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++IncludedReferencedProduct +++++Name  Status: <b>R</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>Description</b> udt:TextType	<b>Article description, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++IncludedReferencedProduct +++++Description  Status: <b>O</b> Profile: <b>EXTENDED only</b>
0 .. unbounded	<b>UnitQuantity</b> udt:QuantityType	<b>Quantity, included, value</b>  Path to element: CrossIndustryDocument +SpecifiedSupplyChainTradeTransaction ++IncludedSupplyChainTradeLineItem +++SpecifiedTradeProduct ++++IncludedReferencedProduct +++++UnitQuantity  Status: <b>O</b> Profile: <b>EXTENDED only</b>
required ..	<u>unitCode</u>	<b>Measurement unit</b> Example: <b>C62</b> Status: <b>R</b> Profile: <b>EXTENDED only</b>

80 **4.2 List of business terms assigned to the ZUGFeRD profile**

81 Key: S = Status, B = BASIC profile, C = COMFORT profile, E = EXTENDED profile

Business Term	B	C	E	S	Path
	X	X	X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ActualDeliverySupplyChainEvent/OccurrenceDateTime/ DateTimeString
			X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ ActualDeliverySupplyChainEvent/OccurrenceDateTime/ DateTimeString
			X		CrossIndustryDocument/HeaderExchangedDocument/ EffectiveSpecifiedPeriod/CompleteDateTime/ DateTimeString
		X	X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/DueDateDateTime/ DateTimeString
		X	X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ BillingSpecifiedPeriod/EndDateTime/DateTimeString
			X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ BillingSpecifiedPeriod/EndDateTime/DateTimeString
	X	X	X		CrossIndustryDocument/HeaderExchangedDocument/ IssueDateTime/DateTimeString
			X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/BasisDateTime/ DateTimeString
			X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/BasisDateTime/ DateTimeString
			X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ BillingSpecifiedPeriod/StartDate/DateTimeString
		X	X		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ BillingSpecifiedPeriod/StartDate/DateTimeString
(Company) name of ship to			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ Name
(Company) name of ship to			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ Name
(Company) name of the alternative invoicee		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/Name
(Company) name of the alternative payee		X		R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/

Business Term	B	C	E	S	Path
(Company) name of the buyer	X	X	X	R	PayeeTradeParty/Name CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ Name
(Company) name of the product end user			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/Name
(Company) name of the seller	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ Name
(Company) name of the ship from			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/Name
(Company) name of the ultimate ship to			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/Name
(Company) name of the ultimate ship to			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/Name
Account number		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayerPartyDebtorFinancialAccount/ProprietaryID
Allowance Charge Percent			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/CalculationPercent
Allowance and charge total			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ TotalAllowanceChargeAmount
Allowance charge percent			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/CalculationPercent
Allowance or charge base amount		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/ActualAmount
Allowance or charge amount		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/ActualAmount
Allowance total amount	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ AllowanceTotalAmount
Article description		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/Description
Article description			X	O	CrossIndustryDocument/

Business Term	B	C	E	S	Path
					SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/IncludedReferencedProduct/ Description
Article name			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/IncludedReferencedProduct/Name
Article name	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/Name
BIC		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayerSpecifiedDebtorFinancialInstitution/BICID
BIC	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayeeSpecifiedCreditorFinancialInstitution/BICID
Bank name	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayeeSpecifiedCreditorFinancialInstitution/Name
Base amount for allowances and charges			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/BasisAmount
Base amount for payment discounts			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/BasisAmount
Base amount for payment penalty			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/BasisAmount
Base amount of allowance or charge			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/BasisAmount
Base quantity for allowances and charges			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/BasisQuantity
Base quantity of allowance or charge			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/BasisQuantity
Billed quantity	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/BilledQuantity
Booking reference			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ReceivableSpecifiedTradeAccountingAccount/ID
Booking reference			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/

Business Term	B	C	E	S	Path
					IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ SpecifiedTradeAccountingAccount/ID
Business process			X	O	CrossIndustryDocument/ SpecifiedExchangedDocumentContext/ BusinessProcessSpecifiedDocumentContextParameter/ID
Buyer Id		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ ID
Buyer reference		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerReference
Buyer's article number		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/BuyerAssignedID
Buyer's article number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/IncludedReferencedProduct/ BuyerAssignedID
Calculation sequence			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/SequenceNumeric
Calculation sequence			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/SequenceNumeric
Charge free quantity			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ChargeFreeQuantity
Charge total amount		X	X	X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ ChargeTotalAmount
City		X	X	X	A CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ PostalTradeAddress/CityName
City		X	X	X	A CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ PostalTradeAddress/CityName
City			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/PostalTradeAddress/CityName
City			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ PostalTradeAddress/CityName
City			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/PostalTradeAddress/CityName
City			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/PostalTradeAddress/CityName
City		X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/

Business Term	B	C	E	S	Path
City			X	A	ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/PostalTradeAddress/CityName
City			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/ PostalTradeAddress/CityName
City			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ PostalTradeAddress/CityName
City			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/PostalTradeAddress/CityName
Classification of product (free text)			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/DesignatedProductClassification/ ClassName
Contact person name			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ DefinedTradeContact/PersonName
Contact person name			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ DefinedTradeContact/PersonName
Contract ID			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ ContractReferencedDocument/ID
Contract date	X	X		O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ContractReferencedDocument/IssueDateTime
Contract date			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ ContractReferencedDocument/IssueDateTime
Contract number		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ContractReferencedDocument/ID
Country (Code)	X	X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ PostalTradeAddress/CountryID
Country (Code)	X	X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ PostalTradeAddress/CountryID
Country (Code)			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/PostalTradeAddress/CountryID
Country (Code)			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ PostalTradeAddress/CountryID
Country (Code)			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/PostalTradeAddress/CountryID

Business Term	B	C	E	S	Path
Country (Code)			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/PostalTradeAddress/CountryID
Country (Code)		X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/PostalTradeAddress/CountryID
Country (Code)			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/ PostalTradeAddress/CountryID
Country (Code)			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ PostalTradeAddress/CountryID
Country (Code)			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/PostalTradeAddress/CountryID
Country of origin (Code)			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/OriginTradeCountry/ID
Creditor identification, value	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ID/ @schemeAgencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceCurrencyCode
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/CalculatedAmount/@currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/BasisAmount/@currencyID
Currency			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/LineTotalBasisAmount/@currencyID
Currency			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/AllowanceChargeBasisAmount/ @currencyID
Currency		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/BasisAmount/ @currencyID
Currency		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedLogisticsServiceCharge/AppliedAmount/ @currencyID



Business Term	B	C	E	S	Path
Currency			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/PartialPaymentAmount/ @currencyID
Currency			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/BasisAmount/ @currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/ ActualPenaltyAmount/@currencyID
Currency			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/BasisAmount/ @currencyID
Currency			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/ ActualDiscountAmount/@currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ LineTotalAmount/@currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ ChargeTotalAmount/@currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ AllowanceTotalAmount/@currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ TaxBasisTotalAmount/@currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ TaxTotalAmount/@currencyID
Currency	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ GrandTotalAmount/@currencyID
Currency		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ TotalPrepaidAmount/@currencyID
Currency		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/

Business Term	B	C	E	S	Path
Currency	X	X	R		SpecifiedTradeSettlementMonetarySummation/ DuePayableAmount/@currencyID
Currency		X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ChargeAmount/@currencyID
Currency	X	X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/BasisAmount/@currencyID
Currency	X	X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/ActualAmount/@currencyID
Currency		X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ NetPriceProductTradePrice/ChargeAmount/@currencyID
Currency	X	X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ ApplicableTradeTax/CalculatedAmount/@currencyID
Currency		X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ TotalAllowanceChargeAmount/@currencyID
Customer order number	X	X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ CustomerOrderReferencedDocument/ID
Date of customer order reference	X	X	O		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ CustomerOrderReferencedDocument/IssueDateTime
Date of despatch advice		X	O		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ DespatchAdviceReferencedDocument/IssueDateTime
Date, format	X	X	X	R	CrossIndustryDocument/HeaderExchangedDocument/ IssueDateTime/DateTimeString/@format
Date, format		X	R		CrossIndustryDocument/HeaderExchangedDocument/ EffectiveSpecifiedPeriod/CompleteDateTime/ DateTimeString/@format
Date, format	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ActualDeliverySupplyChainEvent/OccurrenceDateTime/ DateTimeString/@format
Date, format	X	X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ BillingSpecifiedPeriod/StartDate/DateTimeString/

Business Term	B	C	E	S	Path
Date, format	X	X	R		@format CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ BillingSpecifiedPeriod/EndDateTime/DateTimeString/ @format
Date, format	X	X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/DueDateDateTime/ DateTimeString/@format
Date, format			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/BasisDateTime/ DateTimeString/@format
Date, format			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/BasisDateTime/ DateTimeString/@format
Date, format			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ ActualDeliverySupplyChainEvent/OccurrenceDateTime/ DateTimeString/@format
Date, format			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ BillingSpecifiedPeriod/StartDateTime/DateTimeString/ @format
Date, format			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ BillingSpecifiedPeriod/EndDateTime/DateTimeString/ @format
Delivery note date	X	X	O		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ DeliveryNoteReferencedDocument/IssueDateTime
Delivery note identifier	X	X	R		CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ DeliveryNoteReferencedDocument/ID
Delivery type (Code)			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ApplicableTradeDeliveryTerms/DeliveryTypeCode
Department name			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ DefinedTradeContact/DepartmentName
Department name			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ DefinedTradeContact/DepartmentName
Department name			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/DefinedTradeContact/ DepartmentName
Department name			X	D	CrossIndustryDocument/

Business Term	B	C	E	S	Path
Department name		X		D	SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/DepartmentName
Department name		X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ DepartmentName
Department name		X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/DefinedTradeContact/ DepartmentName
Department name		X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/DefinedTradeContact/DepartmentName
Department name		X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ PayeeTradeParty/DefinedTradeContact/DepartmentName
Department name		X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/DepartmentName
Despatch advice number		X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ DepartmentName
Despatch advice number		X		R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ DespatchAdviceReferencedDocument/ID
Details on product classification (Code)		X		R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/DesignatedProductClassification/ ClassCode
Document Id		X		R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ AdditionalReferencedDocument/ID
Document date		X		O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ AdditionalReferencedDocument/IssueDateTime
Document date		X		O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ AdditionalReferencedDocument/IssueDateTime
Document date		X		O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ DespatchAdviceReferencedDocument/IssueDateTime
Document date		X		O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/

Business Term	B	C	E	S	Path
Document date			X	O	IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ ReceivingAdviceReferencedDocument/IssueDateTime CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ DeliveryNoteReferencedDocument/IssueDateTime
Document name (free text)	X	X	X	R	CrossIndustryDocument/HeaderExchangedDocument/ Name
Document number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ AdditionalReferencedDocument/ID
Document number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ ReceivingAdviceReferencedDocument/ID
Document number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ DeliveryNoteReferencedDocument/ID
Document type			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ AdditionalReferencedDocument/ReferenceTypeCode
Document type (Code)	X	X	X	R	CrossIndustryDocument/HeaderExchangedDocument/ TypeCode
Due date period			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/ BasisPeriodMeasure
Due date period			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/ BasisPeriodMeasure
Due date period, unit			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/ BasisPeriodMeasure/@unitCode
Due date period, unit			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/ BasisPeriodMeasure/@unitCode
Due payable amount		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ DuePayableAmount
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ DefinedTradeContact/EmailURIUniversalCommunication/ URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/

Business Term	B	C	E	S	Path
Email			X	R	ApplicableSupplyChainTradeAgreement/BuyerTradeParty/DefinedTradeContact/EmailURIUniversalCommunication/URIID CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/DefinedTradeContact/ EmailURIUniversalCommunication/URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/EmailURIUniversalCommunication/ URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ EmailURIUniversalCommunication/URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/DefinedTradeContact/ EmailURIUniversalCommunication/URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/DefinedTradeContact/ EmailURIUniversalCommunication/URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ PayeeTradeParty/DefinedTradeContact/ EmailURIUniversalCommunication/URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/EmailURIUniversalCommunication/ URIID
Email			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ EmailURIUniversalCommunication/URIID
Exemption reason (free text)		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/ExemptionReason
Exemption reason (free text)		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ ApplicableTradeTax/ExemptionReason
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ DefinedTradeContact/FaxUniversalCommunication/ CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ DefinedTradeContact/FaxUniversalCommunication/ CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/

Business Term	B	C	E	S	Path
Fax number			X	R	DefinedTradeContact/FaxUniversalCommunication/CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/DefinedTradeContact/ FaxUniversalCommunication/CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/FaxUniversalCommunication/ CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ FaxUniversalCommunication/CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/DefinedTradeContact/ FaxUniversalCommunication/CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/DefinedTradeContact/ FaxUniversalCommunication/CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ PayeeTradeParty/DefinedTradeContact/ FaxUniversalCommunication/CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/FaxUniversalCommunication/ CompleteNumber
Fax number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ FaxUniversalCommunication/CompleteNumber
Financial account identifier	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayeePartyCreditorFinancialAccount/ProprietaryID
Financial account name	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayeePartyCreditorFinancialAccount/AccountName
Free text		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ AssociatedDocumentLineDocument/IncludedNote/Content
Free text (Content code)			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ AssociatedDocumentLineDocument/IncludedNote/ ContentCode
Free text (Subject code)			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ AssociatedDocumentLineDocument/IncludedNote/

Business Term	B	C	E	S	Path
Free text information on payment means	X	X		D	SubjectCode CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/Information
Free text of the payment terms	X	X		R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/Description
Free text on header level (content)	X	X	X	R	CrossIndustryDocument/HeaderExchangedDocument/ IncludedNote/Content
Free text on header level (qualifying the content)			X	O	CrossIndustryDocument/HeaderExchangedDocument/ IncludedNote/ContentCode
Free text on header level (qualifying the type of text)	X	X		A	CrossIndustryDocument/HeaderExchangedDocument/ IncludedNote/SubjectCode
German bank code	X	X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayerSpecifiedDebtorFinancialInstitution/ GermanBankleitzahlID
German bank code	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayeeSpecifiedCreditorFinancialInstitution/ GermanBankleitzahlID
Global identifier	X	X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/GlobalID
Global identifier		X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ GlobalID
Global identifier		X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/GlobalID
Global identifier of ship from		X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/GlobalID
Global identifier of ship to		X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ GlobalID
Global identifier of the alternative product end user		X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/GlobalID
Global identifier of the article	X	X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/GlobalID
Global identifier of the article		X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/IncludedReferencedProduct/ GlobalID
Global identifier of the buyer	X	X		A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ GlobalID
Global identifier of the seller	X	X		A	CrossIndustryDocument/



Business Term	B	C	E	S	Path
					SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ GlobalID
Global identifier of the ultimate ship to			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/GlobalID
Globaler identifier of the alternative payee			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ PayeeTradeParty/GlobalID
Goods amount for tax rate			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/LineTotalBasisAmount
Grand total	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ GrandTotalAmount
Gross price		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ChargeAmount
Guideline	X	X	X	R	CrossIndustryDocument/ SpecifiedExchangedDocumentContext/ GuidelineSpecifiedDocumentContextParameter/ID
IBAN		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayerPartyDebtorFinancialAccount/IBANID
IBAN	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayeePartyCreditorFinancialAccount/IBANID
Identification of ship from			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipFromTradeParty/ ID
Identification of ship to			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ID
Identification of ship to			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ID
Identification of the alternative invoicee	X	X		O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/ID
Identification of the alternative payee			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/ ID
Identification of the alternative product end user	X			O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/ID
Identification of ultimate ship to			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/ID
Identification of ultimate ship to			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/

Business Term	B	C	E	S	Path
					IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/ID
Invoice identifier	X	X	X	R	CrossIndustryDocument/HeaderExchangedDocument/ID
Item number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ BuyerOrderReferencedDocument/LineID
Item number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ ContractReferencedDocument/LineID
Item number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ AdditionalReferencedDocument/LineID
Item number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ CustomerOrderReferencedDocument/LineID
Item number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ DespatchAdviceReferencedDocument/LineID
Item number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ ReceivingAdviceReferencedDocument/LineID
Item number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ DeliveryNoteReferencedDocument/LineID
Language identifier			X	O	CrossIndustryDocument/HeaderExchangedDocument/ LanguageID
Line number		X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ AssociatedDocumentLineDocument/LineID
Line one of address	X	X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ PostalTradeAddress/LineOne
Line one of address	X	X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ PostalTradeAddress/LineOne
Line one of address			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/PostalTradeAddress/LineOne
Line one of address			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ PostalTradeAddress/LineOne
Line one of address			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/PostalTradeAddress/LineOne
Line one of address			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/

Business Term	B	C	E	S	Path
Line one of address	X	X		A	ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/PostalTradeAddress/LineOne
Line one of address			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/PostalTradeAddress/LineOne
Line one of address			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/ PostalTradeAddress/LineOne
Line one of address			X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ PostalTradeAddress/LineOne
Line total amount	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ LineTotalAmount
Line total amount		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ LineTotalAmount
Line two	X	X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ PostalTradeAddress/LineTwo
Line two	X	X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ PostalTradeAddress/LineTwo
Line two			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/PostalTradeAddress/LineTwo
Line two			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ PostalTradeAddress/LineTwo
Line two			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/PostalTradeAddress/LineTwo
Line two		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/PostalTradeAddress/LineTwo
Line two			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/ PostalTradeAddress/LineTwo
Line two			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/

Business Term	B	C	E	S	Path
Line two			X	O	PostalTradeAddress/LineTwo CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/PostalTradeAddress/LineTwo
Mandate reference and creditor identifier	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ID
Measurement unit	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/BilledQuantity/ @unitCode
Measurement unit			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ChargeFreeQuantity/ @unitCode
Measurement unit			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/PackageQuantity/ @unitCode
Measurement unit			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/ApplicableProductCharacteristic/ ValueMeasure/@unitCode
Measurement unit			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/IncludedReferencedProduct/ UnitQuantity/@unitCode
Name of financial institution		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/ PayerSpecifiedDebtorFinancialInstitution/Name
Name of the contact person			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/DefinedTradeContact/ PersonName
Name of the contact person			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/PersonName
Name of the contact person			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ PersonName
Name of the contact person			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/DefinedTradeContact/PersonName
Name of the contact person			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/DefinedTradeContact/PersonName
Name of the contact person			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ PayeeTradeParty/DefinedTradeContact/PersonName
Name of the contact person			X	D	CrossIndustryDocument/

Business Term	B	C	E	S	Path
Name of the contact person			X	D	SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/PersonName
Net price		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ NetPriceProductTradePrice/ChargeAmount
Order Id			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ BuyerOrderReferencedDocument/ID
Order date			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ CustomerOrderReferencedDocument/IssueDateTime
Order date		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ BuyerOrderReferencedDocument/IssueDateTime
Order date			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ BuyerOrderReferencedDocument/IssueDateTime
Order number		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ BuyerOrderReferencedDocument/ID
Order number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ CustomerOrderReferencedDocument/ID
Package quantity			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/PackageQuantity
Partial payment amount			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/PartialPaymentAmount
Payment discount amount			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/ ActualDiscountAmount
Payment discount percentage			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentDiscountTerms/CalculationPercent
Payment means type (code)		X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementPaymentMeans/TypeCode
Payment penalty amount			X	O	CrossIndustryDocument/

Business Term	B	C	E	S	Path
					SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/ ActualPenaltyAmount
Payment penalty percentage			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradePaymentTerms/ ApplicableTradePaymentPenaltyTerms/CalculationPercent
Payment reference	X	X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PaymentReference
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ DefinedTradeContact/TelephoneUniversalCommunication/ CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ DefinedTradeContact/TelephoneUniversalCommunication/ CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/DefinedTradeContact/ TelephoneUniversalCommunication/CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/TelephoneUniversalCommunication/ CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ TelephoneUniversalCommunication/CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/DefinedTradeContact/ TelephoneUniversalCommunication/CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/DefinedTradeContact/ TelephoneUniversalCommunication/CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ PayeeTradeParty/DefinedTradeContact/ TelephoneUniversalCommunication/CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ DefinedTradeContact/TelephoneUniversalCommunication/ CompleteNumber
Phone number				X	R CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/DefinedTradeContact/ TelephoneUniversalCommunication/CompleteNumber
Postcode	X	X	X	A	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/

Business Term	B	C	E	S	Path
Postcode	X	X	X	A	ApplicableSupplyChainTradeAgreement/SellerTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ProductEndUserTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/UltimateShipToTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipFromTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/InvoiceeTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/PostalTradeAddress/PostcodeCode
Postcode			X	A	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/PostalTradeAddress/PostcodeCode
Price base quantity	X	X	O		CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/IncludedSupplyChainTradeLineItem/SpecifiedSupplyChainTradeAgreement/GrossPriceProductTradePrice/BasisQuantity
Price base quantity	X	X	O		CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/IncludedSupplyChainTradeLineItem/SpecifiedSupplyChainTradeAgreement/NetPriceProductTradePrice/BasisQuantity
Price base quantity unit			X	R	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/SpecifiedTradeAllowanceCharge/BasisQuantity/@unitCode
Price base quantity unit			X	R	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/IncludedSupplyChainTradeLineItem/SpecifiedSupplyChainTradeAgreement/GrossPriceProductTradePrice/BasisQuantity/@unitCode
Price base quantity unit			X	R	CrossIndustryDocument/SpecifiedSupplyChainTradeTransaction/IncludedSupplyChainTradeLineItem/SpecifiedSupplyChainTradeAgreement/GrossPriceProductTradePrice/

Business Term	B	C	E	S	Path
Product classification name			X	R	AppliedTradeAllowanceCharge/BasisQuantity/@unitCode CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/DesignatedProductClassification/ ClassCode/@listID
Quantity, included			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/IncludedReferencedProduct/ UnitQuantity
Reason for allowance or charge (Code)			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/ReasonCode
Reason for allowance or charge (Code)			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/ReasonCode
Reason for allowance or charge (free text)	X	X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/Reason
Reason for allowance or charge (free text)	X	X		D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ GrossPriceProductTradePrice/ AppliedTradeAllowanceCharge/Reason
Seller ID		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ ID
Seller's article number		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/SellerAssignedID
Seller's article number			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/IncludedReferencedProduct/ SellerAssignedID
Service charge ID		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedLogisticsServiceCharge/Description
Service charge amount		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedLogisticsServiceCharge/AppliedAmount
Tax amount				X	D CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ ApplicableTradeTax/CalculatedAmount
Tax base amount	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/BasisAmount
Tax basis total amount	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ TaxBasisTotalAmount
Tax calculated amount	X	X	X	R	CrossIndustryDocument/



Business Term	B	C	E	S	Path	
Tax category		X	X	D	SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/CalculatedAmount	
Tax category		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/CategoryCode	
Tax category		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/CategoryTradeTax/ CategoryCode	
Tax category		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedLogisticsServiceCharge/AppliedTradeTax/ CategoryCode	
Tax percentage		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedLogisticsServiceCharge/AppliedTradeTax/ ApplicablePercent	
Tax percentage		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ ApplicableTradeTax/CategoryCode	
Tax rate percentage		X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/ApplicablePercent
Tax rate percentage		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/ApplicablePercent	
Tax total amount		X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ TaxTotalAmount
Tax type (Code)		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedLogisticsServiceCharge/AppliedTradeTax/ TypeCode	
Tax type (Code)		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeSettlement/ ApplicableTradeTax/TypeCode	
Tax type (Code)		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ SpecifiedTradeAllowanceCharge/CategoryTradeTax/ TypeCode	
Tax type (code)		X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/TypeCode
Total prepaid amount		X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/	

Business Term	B	C	E	S	Path
					ApplicableSupplyChainTradeSettlement/ SpecifiedTradeSettlementMonetarySummation/ TotalPrepaidAmount
Total tax rate allowances and charges at header level			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ ApplicableTradeTax/AllowanceChargeBasisAmount
Transport mode (Code)			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ RelatedSupplyChainConsignment/ SpecifiedLogisticsTransportMovement/ModeCode
Transport movement identifier			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ RelatedSupplyChainConsignment/ SpecifiedLogisticsTransportMovement/ID
Type of global identifier	X	X		R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ GlobalID/@schemeID
Type of global identifier	X	X		R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ GlobalID/@schemeID
Type of global identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/GlobalID/@schemeID
Type of global identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ GlobalID/@schemeID
Type of global identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/GlobalID/@schemeID
Type of global identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/GlobalID/@schemeID
Type of global identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/GlobalID/@schemeID
Type of global identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ PayeeTradeParty/GlobalID/@schemeID
Type of global identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ GlobalID/@schemeID
Type of global trade item number			X	X	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/GlobalID/@schemeID
Type of global trade item number			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/GlobalID/@schemeID
					SpecifiedTradeProduct/IncludedReferencedProduct/

Business Term	B	C	E	S	Path
Type of identifier			X	R	GlobalID/@schemeID CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ RelatedSupplyChainConsignment/ SpecifiedLogisticsTransportMovement/ID/@schemeID
Type of product characteristic (Code)			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/ApplicableProductCharacteristic/ TypeCode
Type of product characteristic (free text)			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/ApplicableProductCharacteristic/ Description
Type of referenced document			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ AdditionalReferencedDocument/TypeCode
Type of tax identifier	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ SpecifiedTaxRegistration/ID/@schemeID
Type of tax identifier	X	X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ SpecifiedTaxRegistration/ID/@schemeID
Type of tax identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ SpecifiedTaxRegistration/ID/@schemeID
Type of tax identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/SpecifiedTaxRegistration/ID/ @schemeID
Type of tax identifier		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/SpecifiedTaxRegistration/ID/ @schemeID
Type of tax identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/ SpecifiedTaxRegistration/ID/@schemeID
Type of tax identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ SpecifiedTaxRegistration/ID/@schemeID
Type of tax identifier			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/SpecifiedTaxRegistration/ID/ @schemeID
Type of tax identifier, value			X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/SpecifiedTaxRegistration/ID/ @schemeID
Unit of price base quantity		X	X	R	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeAgreement/ NetPriceProductTradePrice/BasisQuantity/@unitCode

Business Term	B	C	E	S	Path
VAT Id	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/SellerTradeParty/ SpecifiedTaxRegistration/ID
VAT Id	X	X	X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/BuyerTradeParty/ SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeAgreement/ ProductEndUserTradeParty/SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ShipToTradeParty/ SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ UltimateShipToTradeParty/SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeDelivery/ ShipFromTradeParty/SpecifiedTaxRegistration/ID
VAT Id		X	X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/ InvoiceeTradeParty/SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ ApplicableSupplyChainTradeSettlement/PayeeTradeParty/ SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ShipToTradeParty/ SpecifiedTaxRegistration/ID
VAT Id			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedSupplyChainTradeDelivery/ UltimateShipToTradeParty/SpecifiedTaxRegistration/ID
Value of product characteristic (numeric measurement)			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/ApplicableProductCharacteristic/ ValueMeasure
Value of product characteristic (text)			X	D	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/ApplicableProductCharacteristic/ Value
Version of product classification			X	O	CrossIndustryDocument/ SpecifiedSupplyChainTradeTransaction/ IncludedSupplyChainTradeLineItem/ SpecifiedTradeProduct/DesignatedProductClassification/ ClassCode/@listVersionID

83 **4.3 List of fields that must not be used**

84 Due to the Venetian Blind design approach in the XML schema, the XML schema does not correspond  
85 exactly to the ZUGFeRD specification. For example, in purely schematic terms, it is possible to specify at  
86 header level a product price calculated on a net basis. This is because the underlying data type is used for  
87 both line items and the header in the invoice. In the ZUGFeRD XML file, only the elements specified in  
88 chapter 4.1 may be used.

89

90 As a result, for the sake of completeness, all elements which must not be used are listed below.

91

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

## CrossIndustryDocument

### SpecifiedExchangedDocumentContext

#### TestIndicator

Indicator

#### BusinessProcessSpecifiedDocumentContextParameter

ID

**N** *schemeID*

**N** *schemeAgencyID*

#### GuidelineSpecifiedDocumentContextParameter

ID

**N** *schemeID*

**N** *schemeAgencyID*

### HeaderExchangedDocument

ID

**N** *schemeID*

**N** *schemeAgencyID*

Name

TypeCode

#### IssueDateTime

DateTimeString

*format*

#### CopyIndicator

Indicator

LanguageID

**N** *schemeID*

**N** *schemeAgencyID*

#### IncludedNote

ContentCode

**N** *listID*

**N** *listVersionID*

Content

SubjectCode

**N** *listID*

**N** *listVersionID*

#### EffectiveSpecifiedPeriod

**N** **StartDateTime**

**N** DateTimeString

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *format*

N **EndDateTime**

N DateTimeString

N *format*

**CompleteDateTime**

DateTimeString

*format*

**SpecifiedSupplyChainTradeTransaction**

**ApplicableSupplyChainTradeAgreement**

BuyerReference

**SellerTradeParty**

ID

N *schemeID*

N *schemeAgencyID*

GlobalID

*schemeID*

N *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**PostalTradeAddress**

PostcodeCode

N *listID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *listVersionID*

LineOne  
LineTwo  
CityName  
CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

N *schemeAgencyID*

**BuyerTradeParty**

ID

N *schemeID*

N *schemeAgencyID*

GlobalID

*schemeID*

N *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName  
DepartmentName

**TelephoneUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

**PostalTradeAddress**

PostcodeCode

N *listID*

N *listVersionID*



**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

LineOne

LineTwo

CityName

CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

**N**

*schemeAgencyID*

**ProductEndUserTradeParty**

ID

**N**

*schemeID*

**N**

*schemeAgencyID*

GlobalID

*schemeID*

**N**

*schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

**N**

URIID

**N**

*schemeID*

**N**

*schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

**N**

URIID

**N**

*schemeID*

**N**

*schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

**N**

*schemeID*

**N**

*schemeAgencyID*

**N**

CompleteNumber

**PostalTradeAddress**

PostcodeCode

**N**

*listID*

**N**

*listVersionID*

LineOne

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

LineTwo

CityName

CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

**N** *schemeAgencyID*

**ApplicableTradeDeliveryTerms**

DeliveryTypeCode

**BuyerOrderReferencedDocument**

IssueDateTime

**N** LineID

**N** *schemeID*

**N** *schemeAgencyID*

**N** TypeCode

ID

**N** *schemeID*

**N** *schemeAgencyID*

**N** ReferenceTypeCode

**ContractReferencedDocument**

IssueDateTime

**N** LineID

**N** *schemeID*

**N** *schemeAgencyID*

**N** TypeCode

ID

**N** *schemeID*

**N** *schemeAgencyID*

**N** ReferenceTypeCode

**AdditionalReferencedDocument**

IssueDateTime

**N** LineID

**N** *schemeID*

**N** *schemeAgencyID*

TypeCode

ID

**N** *schemeID*

**N** *schemeAgencyID*

**N** ReferenceTypeCode

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

**N**            **GrossPriceProductTradePrice**

**N**            ChargeAmount

**N**            *currencyID*

**N**            BasisQuantity

**N**            *unitCode*

**N**            **AppliedTradeAllowanceCharge**

**N**            **ChargeIndicator**

**N**            Indicator

**N**            SequenceNumeric

**N**            CalculationPercent

**N**            BasisAmount

**N**            *currencyID*

**N**            BasisQuantity

**N**            *unitCode*

**N**            ActualAmount

**N**            *currencyID*

**N**            ReasonCode

**N**            Reason

**N**            **CategoryTradeTax**

**N**            CalculatedAmount

**N**            *currencyID*

**N**            TypeCode

**N**            ExemptionReason

**N**            BasisAmount

**N**            *currencyID*

**N**            LineTotalBasisAmount

**N**            *currencyID*

**N**            AllowanceChargeBasisAmount

**N**            *currencyID*

**N**            CategoryCode

**N**            ApplicablePercent

**N**            **NetPriceProductTradePrice**

**N**            ChargeAmount

**N**            *currencyID*

**N**            BasisQuantity

**N**            *unitCode*

**N**            **AppliedTradeAllowanceCharge**

**N**            **ChargeIndicator**

**N**            Indicator

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N SequenceNumeric  
N CalculationPercent  
N BasisAmount  
N *currencyID*  
N BasisQuantity  
N *unitCode*  
N ActualAmount  
N *currencyID*  
N ReasonCode  
N Reason  
N **CategoryTradeTax**  
N CalculatedAmount  
N *currencyID*  
N TypeCode  
N ExemptionReason  
N BasisAmount  
N *currencyID*  
N LineTotalBasisAmount  
N *currencyID*  
N AllowanceChargeBasisAmount  
N *currencyID*  
N CategoryCode  
N ApplicablePercent  
**CustomerOrderReferencedDocument**  
IssueDateTime  
N LineID  
N *schemeID*  
N *schemeAgencyID*  
N TypeCode  
ID  
N *schemeID*  
N *schemeAgencyID*  
N ReferenceTypeCode  
**ApplicableSupplyChainTradeDelivery**  
N BilledQuantity  
N *unitCode*  
N ChargeFreeQuantity  
N *unitCode*  
N PackageQuantity

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *unitCode*

**RelatedSupplyChainConsignment**

**SpecifiedLogisticsTransportMovement**

ModeCode

N *listID*

N *listVersionID*

ID

*schemeID*

N *schemeAgencyID*

**ShipToTradeParty**

ID

N *schemeID*

N *schemeAgencyID*

GlobalID

*schemeID*

N *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

**PostalTradeAddress**

PostcodeCode

N *listID*

N *listVersionID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

LineOne

LineTwo

CityName

CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

**N**

*schemeAgencyID*

**UltimateShipToTradeParty**

ID

**N**

*schemeID*

**N**

*schemeAgencyID*

GlobalID

*schemeID*

**N**

*schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

**N**

URIID

**N**

*schemeID*

**N**

*schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

**N**

URIID

**N**

*schemeID*

**N**

*schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

**N**

*schemeID*

**N**

*schemeAgencyID*

**N**

CompleteNumber

**PostalTradeAddress**

PostcodeCode

**N**

*listID*

**N**

*listVersionID*

LineOne

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

LineTwo

CityName

CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

**N** *schemeAgencyID*

**ShipFromTradeParty**

ID

**N** *schemeID*

**N** *schemeAgencyID*

GlobalID

*schemeID*

**N** *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

**N** URIID

**N** *schemeID*

**N** *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

**N** URIID

**N** *schemeID*

**N** *schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

**N** *schemeID*

**N** *schemeAgencyID*

**N** CompleteNumber

**PostalTradeAddress**

PostcodeCode

**N** *listID*

**N** *listVersionID*

LineOne

LineTwo

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

CityName

CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

**N** *schemeAgencyID*

**ActualDeliverySupplyChainEvent**

**OccurrenceDateTime**

DateTimeString

*format*

**DespatchAdviceReferencedDocument**

IssueDateTime

**N** LineID

**N** *schemeID*

**N** *schemeAgencyID*

**N** TypeCode

ID

**N** *schemeID*

**N** *schemeAgencyID*

**N** ReferenceTypeCode

**N** **ReceivingAdviceReferencedDocument**

**N** IssueDateTime

**N** LineID

**N** *schemeID*

**N** *schemeAgencyID*

**N** TypeCode

**N** ID

**N** *schemeID*

**N** *schemeAgencyID*

**N** ReferenceTypeCode

**DeliveryNoteReferencedDocument**

IssueDateTime

**N** LineID

**N** *schemeID*

**N** *schemeAgencyID*

**N** TypeCode

ID

**N** *schemeID*

**N** *schemeAgencyID*



**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N ReferenceTypeCode

**ApplicableSupplyChainTradeSettlement**

PaymentReference

InvoiceCurrencyCode

N *listID*

N *listVersionID*

**InvoiceeTradeParty**

ID

N *schemeID*

N *schemeAgencyID*

GlobalID

*schemeID*

N *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

**PostalTradeAddress**

PostcodeCode

N *listID*

N *listVersionID*

LineOne

LineTwo

CityName

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

**N** *schemeAgencyID*

**PayeeTradeParty**

ID

**N** *schemeID*

**N** *schemeAgencyID*

GlobalID

*schemeID*

**N** *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

**N** URIID

**N** *schemeID*

**N** *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

**N** URIID

**N** *schemeID*

**N** *schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

**N** *schemeID*

**N** *schemeAgencyID*

**N** CompleteNumber

**PostalTradeAddress**

PostcodeCode

**N** *listID*

**N** *listVersionID*

LineOne

LineTwo

CityName

CountryID

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

**SpecifiedTaxRegistration**

ID

*schemeID*

**N**

*schemeAgencyID*

**SpecifiedTradeSettlementPaymentMeans**

TypeCode

Information

ID

**N**

*schemeID*

*schemeAgencyID*

**PayerPartyDebtorFinancialAccount**

IBANID

**N**

*schemeID*

**N**

*schemeAgencyID*

ProprietaryID

**N**

*schemeID*

**N**

*schemeAgencyID*

**PayeePartyCreditorFinancialAccount**

IBANID

**N**

*schemeID*

**N**

*schemeAgencyID*

AccountName

ProprietaryID

**N**

*schemeID*

**N**

*schemeAgencyID*

**PayerSpecifiedDebtorFinancialInstitution**

BICID

**N**

*schemeID*

**N**

*schemeAgencyID*

GermanBankleitzahlID

**N**

*schemeID*

**N**

*schemeAgencyID*

Name

**PayeeSpecifiedCreditorFinancialInstitution**

BICID

**N**

*schemeID*

**N**

*schemeAgencyID*

GermanBankleitzahlID

**N**

*schemeID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

**N** *schemeAgencyID*  
Name  
**ApplicableTradeTax**  
CalculatedAmount  
*currencyID*  
TypeCode  
ExemptionReason  
BasisAmount  
*currencyID*  
LineTotalBasisAmount  
*currencyID*  
AllowanceChargeBasisAmount  
*currencyID*  
CategoryCode  
ApplicablePercent  
**BillingSpecifiedPeriod**  
**StartDateTime**  
DateTimeString  
*format*  
**EndDateTime**  
DateTimeString  
*format*  
**N** **CompleteDateTime**  
**N** DateTimeString  
**N** *format*  
**SpecifiedTradeAllowanceCharge**  
**ChargeIndicator**  
Indicator  
SequenceNumeric  
CalculationPercent  
BasisAmount  
*currencyID*  
BasisQuantity  
*unitCode*  
ActualAmount  
*currencyID*  
ReasonCode  
Reason  
**CategoryTradeTax**

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N CalculatedAmount  
N *currencyID*  
TypeCode  
N ExemptionReason  
N BasisAmount  
N *currencyID*  
N LineTotalBasisAmount  
N *currencyID*  
N AllowanceChargeBasisAmount  
N *currencyID*  
CategoryCode  
ApplicablePercent  
**SpecifiedLogisticsServiceCharge**  
Description  
AppliedAmount  
*currencyID*  
**AppliedTradeTax**  
N CalculatedAmount  
N *currencyID*  
TypeCode  
N ExemptionReason  
N BasisAmount  
N *currencyID*  
N LineTotalBasisAmount  
N *currencyID*  
N AllowanceChargeBasisAmount  
N *currencyID*  
CategoryCode  
ApplicablePercent  
**SpecifiedTradePaymentTerms**  
Description  
**DueDateDateTime**  
DateTimeString  
*format*  
PartialPaymentAmount  
*currencyID*  
**ApplicableTradePaymentPenaltyTerms**  
**BasisDateTime**  
DateTimeString

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

*format*

BasisPeriodMeasure

*unitCode*

BasisAmount

*currencyID*

CalculationPercent

ActualPenaltyAmount

*currencyID*

**ApplicableTradePaymentDiscountTerms**

**BasisDateTime**

DateTimeString

*format*

BasisPeriodMeasure

*unitCode*

BasisAmount

*currencyID*

CalculationPercent

ActualDiscountAmount

*currencyID*

**N SpecifiedTradeAccountingAccount**

**N** ID

**N** *schemeID*

**N** *schemeAgencyID*

**SpecifiedTradeSettlementMonetarySummation**

LineTotalAmount

*currencyID*

ChargeTotalAmount

*currencyID*

AllowanceTotalAmount

*currencyID*

TaxBasisTotalAmount

*currencyID*

TaxTotalAmount

*currencyID*

GrandTotalAmount

*currencyID*

TotalPrepaidAmount

*currencyID*

**N** TotalAllowanceChargeAmount

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *currencyID*  
 DuePayableAmount  
*currencyID*  
**ReceivableSpecifiedTradeAccountingAccount**  
 ID  
 N *schemeID*  
 N *schemeAgencyID*  
**IncludedSupplyChainTradeLineItem**  
**AssociatedDocumentLineDocument**  
 LineID  
 N *schemeID*  
 N *schemeAgencyID*  
**IncludedNote**  
 ContentCode  
 N *listID*  
 N *listVersionID*  
 Content  
 SubjectCode  
 N *listID*  
 N *listVersionID*  
**SpecifiedSupplyChainTradeAgreement**  
 N BuyerReference  
 N **SellerTradeParty**  
 N ID  
 N *schemeID*  
 N *schemeAgencyID*  
 N GlobalID  
 N *schemeID*  
 N *schemeAgencyID*  
 N Name  
 N **DefinedTradeContact**  
 N PersonName  
 N DepartmentName  
 N **TelephoneUniversalCommunication**  
 N URIID  
 N *schemeID*  
 N *schemeAgencyID*  
 N CompleteNumber  
 N **FaxUniversalCommunication**

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

N **EmailURIUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

N **PostalTradeAddress**

N PostcodeCode

N *listID*

N *listVersionID*

N LineOne

N LineTwo

N CityName

N CountryID

N **SpecifiedTaxRegistration**

N ID

N *schemeID*

N *schemeAgencyID*

N **BuyerTradeParty**

N ID

N *schemeID*

N *schemeAgencyID*

N GlobalID

N *schemeID*

N *schemeAgencyID*

N Name

N **DefinedTradeContact**

N PersonName

N DepartmentName

N **TelephoneUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

N **FaxUniversalCommunication**

N URIID



**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeID*  
N *schemeAgencyID*  
N CompleteNumber  
N **EmailURIUniversalCommunication**  
N URIID  
N *schemeID*  
N *schemeAgencyID*  
N CompleteNumber  
N **PostalTradeAddress**  
N PostcodeCode  
N *listID*  
N *listVersionID*  
N LineOne  
N LineTwo  
N CityName  
N CountryID  
N **SpecifiedTaxRegistration**  
N ID  
N *schemeID*  
N *schemeAgencyID*  
N **ProductEndUserTradeParty**  
N ID  
N *schemeID*  
N *schemeAgencyID*  
N GlobalID  
N *schemeID*  
N *schemeAgencyID*  
N Name  
N **DefinedTradeContact**  
N PersonName  
N DepartmentName  
N **TelephoneUniversalCommunication**  
N URIID  
N *schemeID*  
N *schemeAgencyID*  
N CompleteNumber  
N **FaxUniversalCommunication**  
N URIID  
N *schemeID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeAgencyID*

N CompleteNumber

N **EmailURIUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

N **PostalTradeAddress**

N PostcodeCode

N *listID*

N *listVersionID*

N LineOne

N LineTwo

N CityName

N CountryID

N **SpecifiedTaxRegistration**

N ID

N *schemeID*

N *schemeAgencyID*

N **ApplicableTradeDeliveryTerms**

N DeliveryTypeCode

**BuyerOrderReferencedDocument**

IssueDateTime

LineID

N *schemeID*

N *schemeAgencyID*

N TypeCode

ID

N *schemeID*

N *schemeAgencyID*

N ReferenceTypeCode

**ContractReferencedDocument**

IssueDateTime

LineID

N *schemeID*

N *schemeAgencyID*

N TypeCode

ID

N *schemeID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeAgencyID*  
N ReferenceTypeCode  
**AdditionalReferencedDocument**  
IssueDateTime  
LineID  
N *schemeID*  
N *schemeAgencyID*  
N TypeCode  
ID  
N *schemeID*  
N *schemeAgencyID*  
ReferenceTypeCode  
**GrossPriceProductTradePrice**  
ChargeAmount  
*currencyID*  
BasisQuantity  
*unitCode*  
**AppliedTradeAllowanceCharge**  
**ChargeIndicator**  
Indicator  
SequenceNumeric  
CalculationPercent  
BasisAmount  
*currencyID*  
BasisQuantity  
*unitCode*  
ActualAmount  
*currencyID*  
ReasonCode  
Reason  
N **CategoryTradeTax**  
N CalculatedAmount  
N *currencyID*  
N TypeCode  
N ExemptionReason  
N BasisAmount  
N *currencyID*  
N LineTotalBasisAmount  
N *currencyID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N AllowanceChargeBasisAmount

N *currencyID*

N CategoryCode

N ApplicablePercent

**NetPriceProductTradePrice**

ChargeAmount

*currencyID*

BasisQuantity

*unitCode*

N **AppliedTradeAllowanceCharge**

N **ChargeIndicator**

N Indicator

N SequenceNumeric

N CalculationPercent

N BasisAmount

N *currencyID*

N BasisQuantity

N *unitCode*

N ActualAmount

N *currencyID*

N ReasonCode

N Reason

N **CategoryTradeTax**

N CalculatedAmount

N *currencyID*

N TypeCode

N ExemptionReason

N BasisAmount

N *currencyID*

N LineTotalBasisAmount

N *currencyID*

N AllowanceChargeBasisAmount

N *currencyID*

N CategoryCode

N ApplicablePercent

**CustomerOrderReferencedDocument**

IssueDateTime

LineID

N *schemeID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeAgencyID*

N TypeCode  
ID

N *schemeID*

N *schemeAgencyID*

N ReferenceTypeCode

**SpecifiedSupplyChainTradeDelivery**

BilledQuantity

*unitCode*

ChargeFreeQuantity

*unitCode*

PackageQuantity

*unitCode*

N **RelatedSupplyChainConsignment**

N **SpecifiedLogisticsTransportMovement**

N ModeCode

N *listID*

N *listVersionID*

N ID

N *schemeID*

N *schemeAgencyID*

**ShipToTradeParty**

ID

N *schemeID*

N *schemeAgencyID*

GlobalID

*schemeID*

N *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

N URIID

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**EmailURIUniversalCommunication**

URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

**PostalTradeAddress**

PostcodeCode

N *listID*

N *listVersionID*

LineOne

LineTwo

CityName

CountryID

**SpecifiedTaxRegistration**

ID

*schemeID*

N *schemeAgencyID*

**UltimateShipToTradeParty**

ID

N *schemeID*

N *schemeAgencyID*

GlobalID

*schemeID*

N *schemeAgencyID*

Name

**DefinedTradeContact**

PersonName

DepartmentName

**TelephoneUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

CompleteNumber

**FaxUniversalCommunication**

N URIID

N *schemeID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeAgencyID*  
 CompleteNumber  
**EmailURIUniversalCommunication**  
 URIID

N *schemeID*  
 N *schemeAgencyID*  
 N CompleteNumber  
**PostalTradeAddress**  
 PostcodeCode

N *listID*  
 N *listVersionID*  
 LineOne  
 LineTwo  
 CityName  
 CountryID  
**SpecifiedTaxRegistration**  
 ID  
*schemeID*  
 N *schemeAgencyID*  
 N **ShipFromTradeParty**  
 N ID  
 N *schemeID*  
 N *schemeAgencyID*  
 N GlobalID  
 N *schemeID*  
 N *schemeAgencyID*  
 N Name  
 N **DefinedTradeContact**  
 N PersonName  
 N DepartmentName  
 N **TelephoneUniversalCommunication**  
 N URIID  
 N *schemeID*  
 N *schemeAgencyID*  
 N CompleteNumber  
 N **FaxUniversalCommunication**  
 N URIID  
 N *schemeID*  
 N *schemeAgencyID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N CompleteNumber

N **EmailURIUniversalCommunication**

N URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

N **PostalTradeAddress**

N PostcodeCode

N *listID*

N *listVersionID*

N LineOne

N LineTwo

N CityName

N CountryID

N **SpecifiedTaxRegistration**

N ID

N *schemeID*

N *schemeAgencyID*

**ActualDeliverySupplyChainEvent**

**OccurrenceDateTime**

DateTimeString

*format*

**DespatchAdviceReferencedDocument**

IssueDateTime

LineID

N *schemeID*

N *schemeAgencyID*

N TypeCode

ID

N *schemeID*

N *schemeAgencyID*

N ReferenceTypeCode

**ReceivingAdviceReferencedDocument**

IssueDateTime

LineID

N *schemeID*

N *schemeAgencyID*

N TypeCode

ID



**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeID*  
N *schemeAgencyID*  
N ReferenceTypeCode  
**DeliveryNoteReferencedDocument**  
IssueDateTime  
LineID  
N *schemeID*  
N *schemeAgencyID*  
N TypeCode  
ID  
N *schemeID*  
N *schemeAgencyID*  
N ReferenceTypeCode  
**SpecifiedSupplyChainTradeSettlement**  
N PaymentReference  
N InvoiceCurrencyCode  
N *listID*  
N *listVersionID*  
N **InvoiceeTradeParty**  
N ID  
N *schemeID*  
N *schemeAgencyID*  
N GlobalID  
N *schemeID*  
N *schemeAgencyID*  
N Name  
N **DefinedTradeContact**  
N PersonName  
N DepartmentName  
N **TelephoneUniversalCommunication**  
N URIID  
N *schemeID*  
N *schemeAgencyID*  
N CompleteNumber  
N **FaxUniversalCommunication**  
N URIID  
N *schemeID*  
N *schemeAgencyID*  
N CompleteNumber

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

**N** **EmailURIUniversalCommunication**

**N** URIID

**N** *schemeID*

**N** *schemeAgencyID*

**N** CompleteNumber

**N** **PostalTradeAddress**

**N** PostcodeCode

**N** *listID*

**N** *listVersionID*

**N** LineOne

**N** LineTwo

**N** CityName

**N** CountryID

**N** **SpecifiedTaxRegistration**

**N** ID

**N** *schemeID*

**N** *schemeAgencyID*

**N** **PayeeTradeParty**

**N** ID

**N** *schemeID*

**N** *schemeAgencyID*

**N** GlobalID

**N** *schemeID*

**N** *schemeAgencyID*

**N** Name

**N** **DefinedTradeContact**

**N** PersonName

**N** DepartmentName

**N** **TelephoneUniversalCommunication**

**N** URIID

**N** *schemeID*

**N** *schemeAgencyID*

**N** CompleteNumber

**N** **FaxUniversalCommunication**

**N** URIID

**N** *schemeID*

**N** *schemeAgencyID*

**N** CompleteNumber

**N** **EmailURIUniversalCommunication**

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N URIID

N *schemeID*

N *schemeAgencyID*

N CompleteNumber

N **PostalTradeAddress**

N PostcodeCode

N *listID*

N *listVersionID*

N LineOne

N LineTwo

N CityName

N CountryID

N **SpecifiedTaxRegistration**

N ID

N *schemeID*

N *schemeAgencyID*

N **SpecifiedTradeSettlementPaymentMeans**

N TypeCode

N Information

N ID

N *schemeID*

N *schemeAgencyID*

N **PayerPartyDebtorFinancialAccount**

N IBANID

N *schemeID*

N *schemeAgencyID*

N ProprietaryID

N *schemeID*

N *schemeAgencyID*

N **PayeePartyCreditorFinancialAccount**

N IBANID

N *schemeID*

N *schemeAgencyID*

N AccountName

N ProprietaryID

N *schemeID*

N *schemeAgencyID*

N **PayerSpecifiedDebtorFinancialInstitution**

N BICID

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *schemeID*  
N *schemeAgencyID*  
N GermanBankleitzahlID  
N *schemeID*  
N *schemeAgencyID*  
N Name  
N **PayeeSpecifiedCreditorFinancialInstitution**  
N BICID  
N *schemeID*  
N *schemeAgencyID*  
N GermanBankleitzahlID  
N *schemeID*  
N *schemeAgencyID*  
N Name  
**ApplicableTradeTax**  
CalculatedAmount  
*currencyID*  
TypeCode  
ExemptionReason  
N BasisAmount  
N *currencyID*  
N LineTotalBasisAmount  
N *currencyID*  
N AllowanceChargeBasisAmount  
N *currencyID*  
CategoryCode  
ApplicablePercent  
**BillingSpecifiedPeriod**  
**StartDateTime**  
DateTimeString  
*format*  
**EndDateTime**  
DateTimeString  
*format*  
N **CompleteDateTime**  
N DateTimeString  
N *format*  
N **SpecifiedTradeAllowanceCharge**  
N **ChargeIndicator**

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N Indicator

N SequenceNumeric

N CalculationPercent

N BasisAmount

N *currencyID*

N BasisQuantity

N *unitCode*

N ActualAmount

N *currencyID*

N ReasonCode

N Reason

N **CategoryTradeTax**

N CalculatedAmount

N *currencyID*

N TypeCode

N ExemptionReason

N BasisAmount

N *currencyID*

N LineTotalBasisAmount

N *currencyID*

N AllowanceChargeBasisAmount

N *currencyID*

N CategoryCode

N ApplicablePercent

N **SpecifiedLogisticsServiceCharge**

N Description

N AppliedAmount

N *currencyID*

N **AppliedTradeTax**

N CalculatedAmount

N *currencyID*

N TypeCode

N ExemptionReason

N BasisAmount

N *currencyID*

N LineTotalBasisAmount

N *currencyID*

N AllowanceChargeBasisAmount

N *currencyID*

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N           CategoryCode  
N           ApplicablePercent  
N           **SpecifiedTradePaymentTerms**  
N           Description  
N           **DueDateDateTime**  
N           DateTimeString  
N           *format*  
N           PartialPaymentAmount  
N           *currencyID*  
N           **ApplicableTradePaymentPenaltyTerms**  
N           **BasisDateTime**  
N           DateTimeString  
N           *format*  
N           BasisPeriodMeasure  
N           *unitCode*  
N           BasisAmount  
N           *currencyID*  
N           CalculationPercent  
N           ActualPenaltyAmount  
N           *currencyID*  
N           **ApplicableTradePaymentDiscountTerms**  
N           **BasisDateTime**  
N           DateTimeString  
N           *format*  
N           BasisPeriodMeasure  
N           *unitCode*  
N           BasisAmount  
N           *currencyID*  
N           CalculationPercent  
N           ActualDiscountAmount  
N           *currencyID*  
N           **SpecifiedTradeAccountingAccount**  
N           ID  
N           *schemeID*  
N           *schemeAgencyID*  
N           **SpecifiedTradeSettlementMonetarySummation**  
N           LineTotalAmount  
N           *currencyID*  
N           ChargeTotalAmount

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

N *currencyID*

N AllowanceTotalAmount

N *currencyID*

N TaxBasisTotalAmount

N *currencyID*

N TaxTotalAmount

N *currencyID*

N GrandTotalAmount

N *currencyID*

N TotalPrepaidAmount

N *currencyID*

TotalAllowanceChargeAmount

*currencyID*

N DuePayableAmount

N *currencyID*

**ReceivableSpecifiedTradeAccountingAccount**

N ID

N *schemeID*

N *schemeAgencyID*

**SpecifiedTradeProduct**

GlobalID

*schemeID*

N *schemeAgencyID*

SellerAssignedID

N *schemeID*

N *schemeAgencyID*

BuyerAssignedID

N *schemeID*

N *schemeAgencyID*

Name

Description

**ApplicableProductCharacteristic**

TypeCode

N *listID*

N *listVersionID*

Description

ValueMeasure

*unitCode*

Value

**N** = Elements and attributes that must not be used  
**Bold** = Nonterminal elements  
**Normal** = Terminal elements  
**Grey** = Attributes

**DesignatedProductClassification**

ClassCode  
*listID*  
*listVersionID*

ClassName

**OriginTradeCountry**





