

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Luminaires for stage lighting, television and filmstudios (outdoor and indoor)

Name and address of the applicant

**Arnold & Richter Cine Technik
GmbH & Co. Betriebs KG**
Arriweg 17
83071 Stephanskirchen
GERMANY

Name and address of the manufacturer

Arnold & Richter Cine Technik GmbH & Co. Betriebs KG
Arriweg 17, 83071 Stephanskirchen, GERMANY

Name and address of the factory

Arnold & Richter Cine Technik GmbH & Co. Betriebs KG
Arriweg 17, 83071 Stephanskirchen, GERMANY

Ratings and principal characteristics

Protection class: I
Degree of protection: IP23

Trade mark (if any)

ARRI

Model/type Ref.

Type: M8; AS40/25; M40/25; M90; ARRIMAX 18/12

Additional information (if necessary)

Certificate DE 3 - 2146 issued 2014-10-15 is replaced by this version due to non-technical changes. National deviations for Argentina, Australia, Austria, Belgium, Bulgaria, Canada, China, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland were considered.

A sample of the product was tested and found to be in conformity with

IEC 60598-2-17:2017
IEC 60598-1:2014
IEC 60598-1:2014/AMD1:2017

as shown in the Test Report Ref. No. which forms part of this certificate

028-713163592-000

This CB Test Certificate is issued by the National Certification Body

CB 013563 0150 Rev. 00

Date, 2020-03-30

(Florian Glungler)



Product Service

Page 1 of 2

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

Additional Information (continued)

National deviations for Italy, Lithuania, Luxemburg, Meceadonia, Malta, Netherland, New Zealand, Norway, Poland, Portugal, Romania, Serbia, Spain, Slovakia, Sweden, Switzerland, Turkey, U.K. were considered.

Ratings and principal characteristics (continued)

Rated voltage/	M8:	95V~ / 50 to 1200 Hz (800 W lamp)
Rated frequency:	AS40/25:	115V~ / 50 to 1200 Hz (2500 W lamp) 200 V~ / 50 to 1200 Hz (4000 W lamp)
	M40/25:	115V~ / 50 to 1200 Hz (2500 W lamp) 200 V~ / 50 to 1200 Hz (4000 W lamp)
	M90:	123 V~ / 50 to 1200 Hz (6000 W lamp) 160 V~ / 50 to 1200 Hz (9000 W lamp)
	ARRIMAX 18/12:	160 V~ / 50 to 1200 Hz (12000 W lamp) 225 V~ / 50 to 1200 Hz (18000 W lamp)



(Florian Glungler)



Product Service